



## Vitoconnect Log

```
Feb 6 12:21:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:21:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:21:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:21:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:21:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:21:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:21:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:21:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:21:22 vitoconnect user.warn kernel: [577534.755421] device_driven_update.sh: waiting for network default route (#190157)
Feb 6 12:21:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:21:25 vitoconnect user.warn kernel: [577537.790815] device_driven_update.sh: waiting for network default route (#190158)
Feb 6 12:21:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:21:28 vitoconnect user.warn kernel: [577540.826903] device_driven_update.sh: waiting for network default route (#190159)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4602', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122126', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:21:26 2021
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:21:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:21'26)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
```

```
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:21:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='4902', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [58.500000]
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:58.5
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:21:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
```

```
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007074000001089000', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:21:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 11:21:31 vitoconnect user.warn kernel: [577543.889112] device_driven_update.sh: waiting for network default route (#190160)
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:21:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:21:34 vitoconnect user.warn kernel: [577546.925421] device_driven_update.sh: waiting for network default route (#190161)
Feb 6 12:21:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:21:37 vitoconnect user.warn kernel: [577549.961180] device_driven_update.sh: waiting for network default route (#190162)
Feb 6 12:21:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122137', quality=0)
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:21:37 2021
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:21'37)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
```

```
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:21:40 vitoconnect user.warn kernel: [577552.996806] device_driven_update.sh: waiting for network default route (#190163)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='3602', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [56.599998]
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:56.6
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:21:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:21:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
```



```
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007576000001089000', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:21:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:21:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:21:43 vitoconnect user.warn kernel: [577556.037426] device_driven_update.sh: waiting for network default route (#190164)
Feb 6 12:21:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:21:46 vitoconnect user.warn kernel: [577559.072879] device_driven_update.sh: waiting for network default route (#190165)
Feb 6 12:21:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:21:49 vitoconnect user.warn kernel: [577562.108745] device_driven_update.sh: waiting for network default route (#190166)
Feb 6 12:21:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```

```
Feb 6 12:21:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122148', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:21:48 2021
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:21'48)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2b02', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [55.500000]
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:55.5
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:21:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
```

```
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:21:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007879000011000000', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 11:21:52 vitoconnect user.warn kernel: [577565.143608] device_driven_update.sh: waiting for network default route (#190167)
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:21:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:21:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
```

```
Feb 6 11:21:55 vitoconnect user.warn kernel: [577568.181877] device_driven_update.sh: waiting for network default route (#190168)
Feb 6 12:21:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:21:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:21:58 vitoconnect user.warn kernel: [577571.217781] device_driven_update.sh: waiting for network default route (#190169)
Feb 6 12:21:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:21:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:22:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:22:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:22:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 11:22:01 vitoconnect user.warn kernel: [577574.253242] device_driven_update.sh: waiting for network default route (#190170)
Feb 6 12:22:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:22:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122159', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:21:59 2021
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:22:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:21:59)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1c02', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [54.000000]
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:22:02 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:22:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:54.0
Feb 6 12:22:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:22:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:22:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
```



```
Feb 6 12:22:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:22:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:22:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:22:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:22:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007b7b000011000000', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
```

```
Feb 6 12:22:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:22:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:22:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:22:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:22:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:22:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:22'00)
Feb 6 12:22:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:22:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:22:04 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:04 vitocconnect user.warn kernel: [577577.290830] device_driven_update.sh: waiting for network default route (#190171)
Feb 6 12:22:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:05 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:06 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:22:07 vitocconnect user.warn kernel: [577580.325755] device_driven_update.sh: waiting for network default route (#190172)
Feb 6 12:22:08 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:10 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:22:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:22:11 vitocconnect user.warn kernel: [577583.361647] device_driven_update.sh: waiting for network default route (#190173)
Feb 6 12:22:11 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122210', quality=0)
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:22:10 2021
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:22:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:22'10)
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:22:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1202', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
```

```
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [53.000000]
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:53.0
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:22:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:22:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 11:22:14 vitocconnect user.warn kernel: [577586.397392] device_driven_update.sh: waiting for network default route (#190174)
```

```
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3',_value='007d7d000011000000', quality=0)
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300',_value='3c', quality=0)
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5',_value='00', quality=0)
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360',_value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A',_value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4',_value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561',_value='00000000000000000000', quality=0)
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700',_value='02', quality=0)
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851',_value='00', quality=0)
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:22:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305',_value='0000', quality=0)
Feb 6 12:22:15 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:16 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:22:17 vitocconnect user.warn kernel: [577589.436684] device_driven_update.sh: waiting for network default route (#190175)
Feb 6 12:22:17 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:19 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:22:20 vitocconnect user.warn kernel: [577592.471703] device_driven_update.sh: waiting for network default route (#190176)
Feb 6 12:22:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:21 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:22 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:23 vitocconnect user.warn kernel: [577595.506865] device_driven_update.sh: waiting for network default route (#190177)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812',_value='4502', quality=0)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A',_value='00', quality=0)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E',_value='2021020606122220', quality=0)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306',_value='15', quality=0)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307',_value='12', quality=0)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323',_value='02', quality=0)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:22:20 2021
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:22:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:22'20)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544',_value='4e02', quality=0)
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:22:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2',_value='08', quality=0)
```



```
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:22:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0802', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [52.000000]
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:52.0
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:22:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:22:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
```

```
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='55D3', value='007f7e000011000000', quality=0)
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:22:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:22:25 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:22:25 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:22:26 vitocconnect user.warn kernel: [577598.553869] device_driven_update.sh: waiting for network default route (#190178)
Feb 6 12:22:26 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:27 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:28 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:29 vitocconnect user.warn kernel: [577601.589810] device_driven_update.sh: waiting for network default route (#190179)
Feb 6 12:22:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:30 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:31 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:32 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:32 vitocconnect user.warn kernel: [577604.625210] device_driven_update.sh: waiting for network default route (#190180)
Feb 6 12:22:33 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:33 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='088E', value='2021020606122231', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
```

```
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:22:31 2021
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:22'31)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0402', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [51.599998]
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:51.6
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:22:34 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:22:34 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:22:35 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
```

```
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 11:22:35 vitoconnect user.warn kernel: [577607.660362] device_driven_update.sh: waiting for network default route (#190181)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008180000011000000', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:22:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:22:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:38 vitoconnect user.warn kernel: [577610.696983] device_driven_update.sh: waiting for network default route (#190182)
Feb 6 12:22:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:22:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:41 vitoconnect user.warn kernel: [577613.732842] device_driven_update.sh: waiting for network default route (#190183)
Feb 6 12:22:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```



```
Feb 6 12:22:43 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:44 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:44 vitocconnect user.warn kernel: [577616.768684] device_driven_update.sh: waiting for network default route (#190184)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122242', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:22:42 2021
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:22'42)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='fe01', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [51.000000]
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:51.0
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:22:45 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:22:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
```



```
Feb 6 12:22:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:50 vitoconnect user.warn kernel: [577622.839161] device_driven_update.sh: waiting for network default route (#190186)
Feb 6 12:22:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:22:53 vitoconnect user.warn kernel: [577625.876770] device_driven_update.sh: waiting for network default route (#190187)
Feb 6 12:22:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:22:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:22:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:22:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:22:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:22:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:22:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:22:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122253', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:22:53 2021
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:22:53)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='f901', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [50.500000]
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:50.5
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
```

```
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:22:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 11:22:56 vitoconnect user.warn kernel: [577628.911817] device_driven_update.sh: waiting for network default route (#190188)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:22:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008383000011000000', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
```



```
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:22:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:22:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:22:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:22:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:22:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:22:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:22:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:22:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:22:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:22:59 vitoconnect user.warn kernel: [577631.949280] device_driven_update.sh: waiting for network default route (#190189)
Feb 6 12:22:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:23:02 vitoconnect user.warn kernel: [577634.984872] device_driven_update.sh: waiting for network default route (#190190)
Feb 6 12:23:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:04 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:23'00)
Feb 6 12:23:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:23:05 vitoconnect user.warn kernel: [577638.020293] device_driven_update.sh: waiting for network default route (#190191)
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122304', quality=0)
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:23:04 2021
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:23:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:23'04)
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:23:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:23:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='f401', quality=0)
```

```
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [50.000000]
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:50.0
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:23:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:23:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
```

```
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008484000011000000', quality=0)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:23:08 vitocconnect user.warn kernel: [577641.055790] device_driven_update.sh: waiting for network default route (#190192)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:23:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:23:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:23:10 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:23:11 vitocconnect user.warn kernel: [577644.092871] device_driven_update.sh: waiting for network default route (#190193)
Feb 6 12:23:11 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:12 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:14 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:23:14 vitocconnect user.warn kernel: [577647.128564] device_driven_update.sh: waiting for network default route (#190194)
Feb 6 12:23:15 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:16 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122314', quality=0)
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:23:14 2021
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:23:17 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:23:14)
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:23:17 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
```

```
Feb 6 11:23:17 vitoconnect user.warn kernel: [577650.164245] device_driven_update.sh: waiting for network default route (#190195)
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:23:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='ef01', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [49.500000]
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:49.5
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:23:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:23:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
```



```
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008586000011000000', quality=0)
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:23:18 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:23:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:23:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:23:20 vitocconnect user.warn kernel: [577653.207741] device_driven_update.sh: waiting for network default route (#190196)
Feb 6 12:23:21 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:22 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:23:23 vitocconnect user.warn kernel: [577656.244558] device_driven_update.sh: waiting for network default route (#190197)
Feb 6 12:23:23 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:25 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:25 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:23:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:26 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:23:26 vitocconnect user.warn kernel: [577659.279638] device_driven_update.sh: waiting for network default route (#190198)
Feb 6 12:23:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:27 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
```

```
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122325', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:23:25 2021
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:23'25)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='ea01', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [49.000000]
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:49.0
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:23:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:23:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:23:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
```

```
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008786000011000000', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:23:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 11:23:29 vitoconnect user.warn kernel: [577662.315588] device_driven_update.sh: waiting for network default route (#190199)
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:23:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:23:33 vitoconnect user.warn kernel: [577665.353761] device_driven_update.sh: waiting for network default route (#190200)
Feb 6 12:23:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:23:36 vitoconnect user.warn kernel: [577668.388853] device_driven_update.sh: waiting for network default route (#190201)
```

```
Feb 6 12:23:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:23:39 vitoconnect user.warn kernel: [577671.424534] device_driven_update.sh: waiting for network default route (#190202)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122336', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:23:36 2021
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:23:36)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='e301', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [48.299999]
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:48.3
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:23:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:23:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
```





```
Feb 6 12:23:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:23:42 vitoconnect user.warn kernel: [577674.463134] device_driven_update.sh: waiting for network default route (#190203)
Feb 6 12:23:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:23:45 vitoconnect user.warn kernel: [577677.498879] device_driven_update.sh: waiting for network default route (#190204)
Feb 6 12:23:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:23:48 vitoconnect user.warn kernel: [577680.535177] device_driven_update.sh: waiting for network default route (#190205)
Feb 6 12:23:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:23:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:23:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:23:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122347', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:23:47 2021
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:23:50 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:23'47)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='d601', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [47.000000]
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:23:50 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
```

```
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:47.0
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:23:50 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:23:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 11:23:51 vitocconnect user.warn kernel: [577683.571132] device_driven_update.sh: waiting for network default route (#190206)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008c89000011000000', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:23:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
```

```
Feb 6 12:23:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:23:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:23:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:23:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:23:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:23:54 vitoconnect user.warn kernel: [577686.607375] device_driven_update.sh: waiting for network default route (#190207)
Feb 6 12:23:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:23:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:23:57 vitoconnect user.warn kernel: [577689.643304] device_driven_update.sh: waiting for network default route (#190208)
Feb 6 12:23:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:23:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:23:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:24:00 vitoconnect user.warn kernel: [577692.678563] device_driven_update.sh: waiting for network default route (#190209)
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122358', quality=0)
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:23:58 2021
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:24:00 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:23'58)
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:24:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:24:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
```



```
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='b801', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [44.000000]
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:44.0
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:24:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:24:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:24:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
```

```
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00948c000011000000', quality=0)
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:24:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:24:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:24:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:24:03 vitoconnect user.warn kernel: [577695.714177] device_driven_update.sh: waiting for network default route (#190210)
Feb 6 12:24:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:24'00)
Feb 6 12:24:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:24:06 vitoconnect user.warn kernel: [577698.749557] device_driven_update.sh: waiting for network default route (#190211)
Feb 6 12:24:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:24:09 vitoconnect user.warn kernel: [577701.784446] device_driven_update.sh: waiting for network default route (#190212)
Feb 6 12:24:10 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122408', quality=0)
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:24:08 2021
Feb 6 12:24:11 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
```

```
Feb 6 12:24:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:24'08)
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:24:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='a001', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [41.599998]
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:41.6
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:24:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 11:24:12 vitocconnect user.warn kernel: [577704.819964] device_driven_update.sh: waiting for network default route (#190213)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
```

```
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:24:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00998e000011000000', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:24:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:24:14 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:24:15 vitocconnect user.warn kernel: [577707.861245] device_driven_update.sh: waiting for network default route (#190214)
Feb 6 12:24:15 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:16 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:17 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:24:18 vitocconnect user.warn kernel: [577710.902315] device_driven_update.sh: waiting for network default route (#190215)
Feb 6 12:24:19 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:21 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:24:21 vitocconnect user.warn kernel: [577713.937626] device_driven_update.sh: waiting for network default route (#190216)
Feb 6 12:24:22 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:24:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:24:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
```



```
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122419', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:24:19 2021
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:24'19)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='9001', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [40.000000]
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:40.0
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:24:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:24:22 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
```

```
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='009c91000011000000', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:24:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 11:24:24 vitoconnect user.warn kernel: [577716.973280] device_driven_update.sh: waiting for network default route (#190217)
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:24:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:24:24 vitoconnect daemon.info dnsmasq-dhcp[11006]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:24:24 vitoconnect daemon.info dnsmasq-dhcp[11006]: DHCPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:24:24 vitoconnect daemon.info dnsmasq-dhcp[11006]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:24:24 vitoconnect daemon.info dnsmasq-dhcp[11006]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:24:24 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:24:24 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:24:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:24:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:25 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
```

```
Feb 6 12:24:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:24:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:24:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:24:27 vitoconnect user.warn kernel: [577720.010824] device_driven_update.sh: waiting for network default route (#190218)
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 2
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:24:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:24:30 vitoconnect user.warn kernel: [577723.077658] device_driven_update.sh: waiting for network default route (#190219)
Feb 6 12:24:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122430', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:24:30 2021
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:24'30)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
```

```
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='8601', quality=0)
Feb 6 11:24:33 vitoconnect user.warn kernel: [577726.113207] device_driven_update.sh: waiting for network default route (#190220)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [39.000000]
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:39.0
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:24:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:24:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```



```
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='009f93000011000000', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:24:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:24:34 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:24:34 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:24:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:24:35 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:24:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:24:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 11:24:36 vitoconnect user.warn kernel: [577729.152700] device_driven_update.sh: waiting for network default route (#190221)
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
```

```
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 2
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:24:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:24:39 vitoconnect user.warn kernel: [577732.190778] device_driven_update.sh: waiting for network default route (#190222)
Feb 6 12:24:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:24:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:24:42 vitoconnect user.warn kernel: [577735.225709] device_driven_update.sh: waiting for network default route (#190223)
Feb 6 12:24:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:24:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:24:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:24:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122441', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:24:41 2021
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:24'41)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='8101', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
```

```
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [38.500000]
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:38.5
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:24:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:24:44 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:24:44 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:24:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:24:45 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00a196000011000000', quality=0)
```

```
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300',_value='3c', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5',_value='00', quality=0)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360',_value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A',_value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 11:24:45 vitoconnect user.warn kernel: [577738.261740] device_driven_update.sh: waiting for network default route (#190224)
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:24:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4',_value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561',_value='00000000000000000000', quality=0)
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700',_value='02', quality=0)
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851',_value='00', quality=0)
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305',_value='0000', quality=0)
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:24:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 2
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:24:47 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:24:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:24:48 vitoconnect user.warn kernel: [577741.300553] device_driven_update.sh: waiting for network default route (#190225)
Feb 6 12:24:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:50 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:24:50 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:24:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:24:50 vitoconnect user.debug srt: [nc-select-router] [debug] kNetworkStateWlanAccesspointConnected
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```



```
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::SelectWlanRouter(const char*, const char*, const
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] SelectWlanRouter : ssid = *****, key = *****
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Connection attempt to specified network (ignoring AP scan results)
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SelectWlanRouterInternal()
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkModeInternal(nc::NetworkMode)
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 2
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = nor station nor AP mode active
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [broker] [debug] NetworkControlService> pub: kNetwork/kWifiMode: network: unknown state
Feb 6 12:24:51 vitoconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: unknown state
Feb 6 12:24:51 vitoconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '4'.
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:24:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 11:24:51 vitoconnect user.warn kernel: [577744.335745] device_driven_update.sh: waiting for network default route (#190226)
Feb 6 11:24:52 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for 192.168.1.1 on wlan.ap.
Feb 6 11:24:52 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.ap.IPv4 with address 192.168.1.1.
Feb 6 11:24:52 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.ap.IPv4 no longer relevant for mDNS.
Feb 6 11:24:52 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.ap.IPv6 no longer relevant for mDNS.
Feb 6 11:24:52 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.ap.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:24:52 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for fe80::e291:53ff:fea9:9812 on wlan.ap.
Feb 6 12:24:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateOffline
Feb 6 12:24:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Existing Configuration
Feb 6 12:24:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanStaCredentials()
Feb 6 12:24:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] SSID=***** / KEY=***** / TYPE=wpa2
Feb 6 12:24:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:24:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:53 vitoconnect user.notice root: /usr/bin/cm/sta/./common/destroy_wlan_interfaces.sh: No WLAN interfaces found.No interfaces destroyed.
Feb 6 12:24:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:24:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 11:24:54 vitoconnect user.info kernel: [577746.510299] IPv6: ADDRCONF(NETDEV_UP): wlan.sta: link is not ready
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122452', quality=0)
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:24:52 2021
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingUnitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:24:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:24:52)
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:24:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 11:24:55 vitoconnect user.warn kernel: [577747.388504] device_driven_update.sh: waiting for network default route (#190227)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
```

```
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7801', quality=0)
Feb 6 12:24:55 vitoconnect user.notice root: /tmp/udhpcp.scr: Flushing wlan.sta address.
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [37.599998]
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 2 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:37.6
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:24:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
```

```
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:24:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00a298000011000000', quality=0)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 11:24:56 vitoconnect user.info kernel: [577748.858393] wlan.sta: authenticate with c8:0e:14:ee:69:1d
Feb 6 11:24:56 vitoconnect user.info kernel: [577748.890909] wlan.sta: send auth to c8:0e:14:ee:69:1d (try 1/3)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.101798] wlan.sta: authenticated
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.104060] wlan.sta: associate with c8:0e:14:ee:69:1d (try 1/3)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.197147] wlan.sta: RX AssocResp from c8:0e:14:ee:69:1d (capab=0x1431 status=0 aid=5)
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.197520] wlan.sta: associated
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.197753] IPv6: ADDRCONF(NETDEV_CHANGE): wlan.sta: link becomes ready
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249569] cfg80211: Updating information on frequency 2412 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249601] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249618] cfg80211: Updating information on frequency 2417 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249634] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249649] cfg80211: Updating information on frequency 2422 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249830] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249849] cfg80211: Updating information on frequency 2427 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249865] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249880] cfg80211: Updating information on frequency 2432 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249896] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249911] cfg80211: Updating information on frequency 2437 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249927] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249942] cfg80211: Updating information on frequency 2442 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.249958] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251806] cfg80211: Updating information on frequency 2447 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251836] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251852] cfg80211: Updating information on frequency 2452 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251867] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251882] cfg80211: Updating information on frequency 2457 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251898] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251914] cfg80211: Updating information on frequency 2462 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251929] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251945] cfg80211: Updating information on frequency 2467 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.251961] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.254112] cfg80211: Updating information on frequency 2472 MHz with regulatory rule:
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.254143] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:24:56 vitoconnect user.debug kernel: [577749.254157] cfg80211: Disabling freq 2484 MHz
```

```
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.254236] cfg80211: Regulatory domain changed to country: DE
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.254309] cfg80211: DFS Master region: ETSI
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.254332] cfg80211: (start_freq - end_freq @ bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.254451] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.254541] cfg80211: (5150000 KHz - 5250000 KHz @ 80000 KHz, 200000 KHz AUTO), (N/A, 2301 mBm), (N/A)
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.254636] cfg80211: (5250000 KHz - 5350000 KHz @ 80000 KHz, 200000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.254877] cfg80211: (5470000 KHz - 5725000 KHz @ 160000 KHz), (N/A, 2698 mBm), (0 s)
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.257336] cfg80211: (5725000 KHz - 5875000 KHz @ 80000 KHz), (N/A, 1397 mBm), (N/A)
Feb 6 11:24:56 vitoconnect user.info kernel: [577749.257458] cfg80211: (57000000 KHz - 66000000 KHz @ 2160000 KHz), (N/A, 4000 mBm), (N/A)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:24:56 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:24:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:24:57 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:24:57 vitoconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.sta.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:24:57 vitoconnect daemon.info avahi-daemon[378]: New relevant interface wlan.sta.IPv6 for mDNS.
Feb 6 11:24:57 vitoconnect daemon.info avahi-daemon[378]: Registering new address record for fe80::e291:53ff:fea9:9812 on wlan.sta.*.
Feb 6 11:24:58 vitoconnect user.warn kernel: [577750.426471] device_driven_update.sh: waiting for network default route (#190228)
Feb 6 12:24:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:24:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:01 vitoconnect user.warn kernel: [577753.462653] device_driven_update.sh: waiting for network default route (#190229)
Feb 6 12:25:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:25'00)
Feb 6 11:25:04 vitoconnect user.warn kernel: [577756.497790] device_driven_update.sh: waiting for network default route (#190230)
Feb 6 12:25:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:05 vitoconnect user.debug kernel: [577757.655396] wlan.sta: Limiting TX power to 20 (20 - 0) dBm as advertised by c8:0e:14:ee:69:1d
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='088E', value='2021020606122502', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:25:02 2021
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:25:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:25'02)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:25:05 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
```



```
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7501', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [37.299999]
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:37.3
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Popen command result: OK
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 3
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = station mode (client is connecting)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [broker] [debug] NetworkControlService> pub: kNetwork/kWifiMode: network: Station
Feb 6 12:25:06 vitocconnect user.err coreapp-main: [nc_network_ctrl] [error] WLAN start/stop script failed: OK
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: Station
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [statecontrol] [info] state(wifi: AccessPoint), event(event: NetworkStationConnecting), transition(wifi: Static
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [statecontrol] [debug] publish new state: {heating unit: Connected, heating unit op mode: Regular, critical: f
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kNetwork/kRequestedWifiMode: network: Station
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kSystemStates/kState: ?
Feb 6 12:25:06 vitocconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '1'.
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:25:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
```

```
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:25:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00a399000011000000', quality=0)
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 11:25:07 vitoconnect user.warn kernel: [577759.531872] device_driven_update.sh: waiting for network default route (#190231)
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:25:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:25:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:10 vitoconnect user.warn kernel: [577762.568254] device_driven_update.sh: waiting for network default route (#190232)
Feb 6 12:25:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:25:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:13 vitoconnect user.warn kernel: [577765.617721] device_driven_update.sh: waiting for network default route (#190233)
Feb 6 12:25:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:16 vitoconnect user.warn kernel: [577768.652273] device_driven_update.sh: waiting for network default route (#190234)
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122513', quality=0)
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:25:16 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
```



```
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='55D3', value='00a39a000011000000', quality=0)
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:25:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [:model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateConfigCheck
Feb 6 12:25:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (***** not successfully done
Feb 6 11:25:19 vitoconnect user.warn kernel: [577771.690585] device_driven_update.sh: waiting for network default route (#190235)
Feb 6 12:25:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.031146] cfg80211: All devices are disconnected, going to restore regulatory settings
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.031183] cfg80211: Restoring regulatory settings
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.031202] cfg80211: Kicking the queue
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.073849] cfg80211: Updating information on frequency 2412 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.073884] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.073901] cfg80211: Updating information on frequency 2417 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.073917] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.073932] cfg80211: Updating information on frequency 2422 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.073948] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.073963] cfg80211: Updating information on frequency 2427 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074824] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074846] cfg80211: Updating information on frequency 2432 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074862] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074877] cfg80211: Updating information on frequency 2437 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074893] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074908] cfg80211: Updating information on frequency 2442 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074923] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074939] cfg80211: Updating information on frequency 2447 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.074954] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076112] cfg80211: Updating information on frequency 2452 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076142] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076158] cfg80211: Updating information on frequency 2457 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076174] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076189] cfg80211: Updating information on frequency 2462 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076205] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076220] cfg80211: Updating information on frequency 2467 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076236] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076251] cfg80211: Updating information on frequency 2472 MHz with regulatory rule:
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076266] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:20 vitoconnect user.debug kernel: [577773.076280] cfg80211: Disabling freq 2484 MHz
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.076359] cfg80211: World regulatory domain updated:
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.076432] cfg80211: DFS Master region: unset
```



```

Feb 6 11:25:20 vitoconnect user.info kernel: [577773.076456] cfg80211: (start_freq - end_freq @ bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.076575] cfg80211: (2402000 KHz - 2472000 KHz @ 40000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.076665] cfg80211: (2457000 KHz - 2482000 KHz @ 20000 KHz, 92000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.076756] cfg80211: (2474000 KHz - 2494000 KHz @ 20000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.076846] cfg80211: (5170000 KHz - 5250000 KHz @ 80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.076940] cfg80211: (5250000 KHz - 5330000 KHz @ 80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.079164] cfg80211: (5490000 KHz - 5730000 KHz @ 160000 KHz), (N/A, 2000 mBm), (0 s)
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.079285] cfg80211: (5735000 KHz - 5835000 KHz @ 80000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:20 vitoconnect user.info kernel: [577773.079372] cfg80211: (57240000 KHz - 63720000 KHz @ 2160000 KHz), (N/A, 0 mBm), (N/A)
Feb 6 12:25:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:21 vitoconnect user.info kernel: [577773.967224] wlan.sta: authenticate with c8:0e:14:ee:69:1d
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.006114] wlan.sta: send auth to c8:0e:14:ee:69:1d (try 1/3)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.014876] wlan.sta: authenticated
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.016318] wlan.sta: associate with c8:0e:14:ee:69:1d (try 1/3)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.022233] wlan.sta: RX AssocResp from c8:0e:14:ee:69:1d (capab=0x1431 status=0 aid=5)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.022593] wlan.sta: associated
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053647] cfg80211: Updating information on frequency 2412 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053680] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053697] cfg80211: Updating information on frequency 2417 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053713] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053728] cfg80211: Updating information on frequency 2422 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053744] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053759] cfg80211: Updating information on frequency 2427 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053775] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053790] cfg80211: Updating information on frequency 2432 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053805] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053821] cfg80211: Updating information on frequency 2437 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053836] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053851] cfg80211: Updating information on frequency 2442 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053867] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053882] cfg80211: Updating information on frequency 2447 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053898] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053913] cfg80211: Updating information on frequency 2452 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053929] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053944] cfg80211: Updating information on frequency 2457 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.053960] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.056144] cfg80211: Updating information on frequency 2462 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.056162] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.056177] cfg80211: Updating information on frequency 2467 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.056193] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.056208] cfg80211: Updating information on frequency 2472 MHz with regulatory rule:
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.056224] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:21 vitoconnect user.debug kernel: [577774.056237] cfg80211: Disabling freq 2484 MHz
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.056315] cfg80211: Regulatory domain changed to country: DE
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.056391] cfg80211: DFS Master region: ETSI
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.056415] cfg80211: (start_freq - end_freq @ bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.056533] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.056624] cfg80211: (5150000 KHz - 5250000 KHz @ 80000 KHz, 200000 KHz AUTO), (N/A, 2301 mBm), (N/A)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.056718] cfg80211: (5250000 KHz - 5350000 KHz @ 80000 KHz, 200000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.056810] cfg80211: (5470000 KHz - 5725000 KHz @ 160000 KHz), (N/A, 2698 mBm), (0 s)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.056898] cfg80211: (5725000 KHz - 5875000 KHz @ 80000 KHz), (N/A, 1397 mBm), (N/A)
Feb 6 11:25:21 vitoconnect user.info kernel: [577774.058555] cfg80211: (57000000 KHz - 66000000 KHz @ 2160000 KHz), (N/A, 4000 mBm), (N/A)
Feb 6 12:25:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:22 vitoconnect user.warn kernel: [577774.724815] device_driven_update.sh: waiting for network default route (#190236)
Feb 6 12:25:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:25 vitoconnect user.warn kernel: [577777.758794] device_driven_update.sh: waiting for network default route (#190237)
Feb 6 12:25:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration

```

```
Feb 6 12:25:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122524', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:25:24 2021
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:25'24)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7801', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [37.599998]
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:37.6
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:25:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
```

```
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:25:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 11:25:28 vitocconnect user.warn kernel: [577780.793540] device_driven_update.sh: waiting for network default route (#190238)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00a29b000011000000', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:25:28 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (***** ) not successfully done
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:25:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:25:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:31 vitocconnect user.warn kernel: [577783.831107] device_driven_update.sh: waiting for network default route (#190239)
Feb 6 12:25:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:33 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:34 vitocconnect user.warn kernel: [577786.866191] device_driven_update.sh: waiting for network default route (#190240)
```

```
Feb 6 12:25:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:37 vitocconnect user.warn kernel: [577789.900374] device_driven_update.sh: waiting for network default route (#190241)
Feb 6 11:25:37 vitocconnect user.debug kernel: [577790.116140] wlan.sta: Limiting TX power to 20 (20 - 0) dBm as advertised by c8:0e:14:ee:69:1d
Feb 6 12:25:37 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:25:37 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:25:37 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:25:37 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122535', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:25:35 2021
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:25:38 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:25'35)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7801', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (***** ) not successfully done
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
```



```
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:25:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00a29c000011000000', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:25:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:25:40 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:25:40 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:25:40 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:25:40 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:25:40 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:25:40 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:25:40 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:25:40 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:25:40 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:25:40 vitocconnect user.warn kernel: [577792.934413] device_driven_update.sh: waiting for network default route (#190242)
Feb 6 12:25:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:43 vitocconnect user.warn kernel: [577795.968363] device_driven_update.sh: waiting for network default route (#190243)
Feb 6 12:25:44 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:46 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:46 vitocconnect user.warn kernel: [577799.003370] device_driven_update.sh: waiting for network default route (#190244)
Feb 6 12:25:47 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122546', quality=0)
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkModeInternal(nc::NetworkMode)
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetApConfig(char*, char*)
```

```
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:25:46 2021
Feb 6 12:25:48 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:25:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:25'46)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 11:25:49 vitocconnect user.info kernel: [577801.572046] wlan.sta: deauthenticating from c8:0e:14:ee:69:1d by local choice (Reason: 3=DEAUTH_LEAVING)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7c01', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [38.000000]
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:38.0
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:25:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:25:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
```

```
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 11:25:49 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.sta.IPv6 no longer relevant for mDNS.
Feb 6 11:25:49 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.sta.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:25:49 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for fe80::e291:53ff:fea9:9812 on wlan.sta.
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.002684] cfg80211: All devices are disconnected, going to restore regulatory settings
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.002715] cfg80211: Restoring regulatory settings
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.002734] cfg80211: Kicking the queue
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:25:49 vitoconnect user.notice root: /usr/bin/cm/ap/./common/destroy_wlan_interfaces.sh: WLAN wlan.sta interface destroyed.
Feb 6 11:25:49 vitoconnect user.warn kernel: [577802.037836] device driven update.sh: waiting for network default route (#190245)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.126955] cfg80211: Updating information on frequency 2412 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127368] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127396] cfg80211: Updating information on frequency 2417 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127412] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127427] cfg80211: Updating information on frequency 2422 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127443] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127458] cfg80211: Updating information on frequency 2427 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127473] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127488] cfg80211: Updating information on frequency 2432 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127504] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127519] cfg80211: Updating information on frequency 2437 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127534] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127550] cfg80211: Updating information on frequency 2442 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127565] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127580] cfg80211: Updating information on frequency 2447 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127596] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127611] cfg80211: Updating information on frequency 2452 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127626] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127641] cfg80211: Updating information on frequency 2457 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127657] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127672] cfg80211: Updating information on frequency 2462 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127687] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127702] cfg80211: Updating information on frequency 2467 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127718] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127733] cfg80211: Updating information on frequency 2472 MHz with regulatory rule:
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127749] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:25:49 vitoconnect user.debug kernel: [577802.127762] cfg80211: Disabling freq 2484 MHz
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.135423] cfg80211: World regulatory domain updated:
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.135517] cfg80211: DFS Master region: unset
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.135541] cfg80211: (start_freq - end_freq @ bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.135660] cfg80211: (2402000 KHz - 2472000 KHz @ 40000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.135751] cfg80211: (2457000 KHz - 2482000 KHz @ 20000 KHz, 92000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.135842] cfg80211: (2474000 KHz - 2494000 KHz @ 20000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.135932] cfg80211: (5170000 KHz - 5250000 KHz @ 80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.137620] cfg80211: (5250000 KHz - 5330000 KHz @ 80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.137742] cfg80211: (5490000 KHz - 5730000 KHz @ 160000 KHz), (N/A, 2000 mBm), (0 s)
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.137831] cfg80211: (5735000 KHz - 5835000 KHz @ 80000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:25:49 vitoconnect user.info kernel: [577802.137918] cfg80211: (57240000 KHz - 63720000 KHz @ 2160000 KHz), (N/A, 0 mBm), (N/A)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
```

```
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:25:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00a19c000001081000', quality=0)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 11:25:50 vitoconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.ap.IPv4 with address 192.168.1.1.
Feb 6 11:25:50 vitoconnect daemon.info avahi-daemon[378]: New relevant interface wlan.ap.IPv4 for mDNS.
Feb 6 11:25:50 vitoconnect daemon.info avahi-daemon[378]: Registering new address record for 192.168.1.1 on wlan.ap.IPv4.
Feb 6 11:25:50 vitoconnect user.info kernel: [577802.775611] IPv6: ADDRCONF(NETDEV_UP): wlan.ap: link is not ready
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:25:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:25:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:25:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:25:51 vitoconnect daemon.info dnsmasq[18860]: started, version 2.80 cachesize 150
Feb 6 12:25:51 vitoconnect daemon.info dnsmasq[18860]: compile time options: IPv6 GNU-getopt no-DBus no-i18n no-IDN DHCP DHCPv6 no-Lua TFTP no-contrack ipset aut
Feb 6 12:25:51 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCP, IP range 192.168.1.2 -- 192.168.1.254, lease time 12h
Feb 6 12:25:51 vitoconnect daemon.info dnsmasq[18860]: using local addresses only for domain lan
Feb 6 12:25:51 vitoconnect daemon.info dnsmasq[18860]: read /etc/hosts - 6 addresses
Feb 6 12:25:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:52 vitoconnect user.warn kernel: [577805.131639] device_driven_update.sh: waiting for network default route (#190246)
Feb 6 11:25:52 vitoconnect user.info kernel: [577805.190213] IPv6: ADDRCONF(NETDEV_CHANGE): wlan.ap: link becomes ready
Feb 6 11:25:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:53 vitoconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.ap.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:25:53 vitoconnect daemon.info avahi-daemon[378]: New relevant interface wlan.ap.IPv6 for mDNS.
Feb 6 11:25:53 vitoconnect daemon.info avahi-daemon[378]: Registering new address record for fe80::e291:53ff:fea9:9812 on wlan.ap.*.
Feb 6 12:25:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:25:55 vitoconnect user.warn kernel: [577808.212119] device_driven_update.sh: waiting for network default route (#190247)
Feb 6 12:25:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:25:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```



```
Feb 6 12:25:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:25:58 vitocconnect user.warn kernel: [577811.247236] device_driven_update.sh: waiting for network default route (#190248)
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122556', quality=0)
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:25:56 2021
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:25:59 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:25:56)
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:25:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7c01', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:26:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
```

```
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:26:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00a19d000211f5000', quality=0)
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Popen command result: OK
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 5
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = access point mode
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [broker] [debug] NetworkControlService> pub: kNetwork/kWifiMode: network: AccessPoint
Feb 6 12:26:01 vitoconnect user.err coreapp-main: [nc_network_ctrl] [error] WLAN start/stop script failed: OK
Feb 6 12:26:01 vitoconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: AccessPoint
Feb 6 12:26:01 vitoconnect user.info coreapp-main: [statecontrol] [info] state(wifi: StationConnecting), event(event: NetworkAccessPointMode), transition(wifi: Ac
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [statecontrol] [debug] publish new state: {heating unit: Connected, heating unit op mode: Regular, critical: f
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kNetwork/kRequestedWifiMode: network: AccessPoint
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kSystemStates/kState: ?
Feb 6 12:26:01 vitoconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '0'.
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 6
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = access point mode
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:26:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:26:01 vitoconnect user.warn kernel: [577814.282264] device_driven_update.sh: waiting for network default route (#190249)
Feb 6 12:26:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:04 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:26'00)
Feb 6 11:26:04 vitoconnect user.warn kernel: [577817.317551] device_driven_update.sh: waiting for network default route (#190250)
```

```
Feb 6 12:26:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:05 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:07 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:26:08 vitocconnect user.warn kernel: [577820.353564] device_driven_update.sh: waiting for network default route (#190251)
Feb 6 12:26:08 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:26:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122607', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:26:07 2021
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:26:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:26'07)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:26:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='cf01', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [46.299999]
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:46.3
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
```

```
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:26:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 11:26:11 vitocconnect user.warn kernel: [577823.389493] device_driven_update.sh: waiting for network default route (#190252)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='3c89960000211b6000', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:26:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```



```
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:26:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='7801', quality=0)
Feb 6 12:26:13 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:26:14 vitocconnect user.warn kernel: [577826.426163] device_driven_update.sh: waiting for network default route (#190253)
Feb 6 12:26:14 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:15 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:16 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:17 vitocconnect user.warn kernel: [577829.461243] device_driven_update.sh: waiting for network default route (#190254)
Feb 6 12:26:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:18 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:19 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:26:20 vitocconnect user.warn kernel: [577832.496497] device_driven_update.sh: waiting for network default route (#190255)
Feb 6 12:26:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122618', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:26:18 2021
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:26'18)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='5d02', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
```

```
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [60.500000]
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:60.5
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:26:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:26:21 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='3168870000211b6200', quality=0)
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:26:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
```

```
Feb 6 12:26:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:26:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:26:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:26:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 11:26:23 vitoconnect user.warn kernel: [577835.532310] device_driven_update.sh: waiting for network default route (#190256)
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='5e01', quality=0)
Feb 6 12:26:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:26:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:26 vitoconnect user.warn kernel: [577838.572398] device_driven_update.sh: waiting for network default route (#190257)
Feb 6 12:26:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:29 vitoconnect user.warn kernel: [577841.608149] device_driven_update.sh: waiting for network default route (#190258)
Feb 6 12:26:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:30 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:26:30 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:26:30 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:26:30 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:26:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122629', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:26:29 2021
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:26:29)
Feb 6 11:26:32 vitoconnect user.warn kernel: [577844.643311] device_driven_update.sh: waiting for network default route (#190259)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7602', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [63.000000]
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:63.0
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:26:32 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:26:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
```



```
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1f67840000211b6200', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:26:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3c01', quality=0)
Feb 6 12:26:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:35 vitoconnect user.warn kernel: [577847.680307] device_driven_update.sh: waiting for network default route (#190260)
Feb 6 12:26:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:38 vitoconnect user.warn kernel: [577850.717777] device_driven_update.sh: waiting for network default route (#190261)
Feb 6 12:26:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:26:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:41 vitoconnect user.warn kernel: [577853.753693] device_driven_update.sh: waiting for network default route (#190262)
Feb 6 12:26:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:26:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:26:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:26:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:26:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:26:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122640', quality=0)
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
```

```
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:26:40 2021
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:26'40)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='5802', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [60.000000]
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:60.0
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:26:43 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:26:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
```

```
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:26:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='146d820000211b6200', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 11:26:44 vitoconnect user.warn kernel: [577856.788733] device_driven_update.sh: waiting for network default route (#190263)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:26:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:26:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:26:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:26:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:26:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='2601', quality=0)
Feb 6 12:26:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:26:47 vitoconnect user.warn kernel: [577859.826896] device_driven_update.sh: waiting for network default route (#190264)
Feb 6 12:26:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:50 vitoconnect user.debug kernel: [577862.351998] cfg80211: Verifying active interfaces after reg change
Feb 6 12:26:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:26:50 vitoconnect user.warn kernel: [577862.875121] device_driven_update.sh: waiting for network default route (#190265)
```

```
Feb 6 12:26:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:53 vitoconnect user.warn kernel: [577865.910865] device_driven_update.sh: waiting for network default route (#190266)
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122650', quality=0)
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:26:50 2021
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:26:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:26:50)
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:26:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='3a02', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [57.000000]
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:57.0
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:26:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:26:54 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
```





```
Feb 6 12:26:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:26:56 vitoconnect user.warn kernel: [577868.949425] device_driven_update.sh: waiting for network default route (#190267)
Feb 6 12:26:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:26:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:26:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:26:59 vitoconnect user.warn kernel: [577871.984615] device_driven_update.sh: waiting for network default route (#190268)
Feb 6 12:26:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:27:02 vitoconnect user.warn kernel: [577875.020100] device_driven_update.sh: waiting for network default route (#190269)
Feb 6 12:27:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122701', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:27:01 2021
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:27:04 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:27'01)
Feb 6 12:27:04 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:27'01)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:27:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1802', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [53.599998]
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
```

```
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:53.6
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:27:05 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 11:27:05 vitoconnect user.warn kernel: [577878.054843] device_driven_update.sh: waiting for network default route (#190270)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e7b880000211b6200', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:27:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
```

```
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:27:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:27:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:27:08 vitoconnect user.warn kernel: [577881.093557] device_driven_update.sh: waiting for network default route (#190271)
Feb 6 12:27:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:27:10 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:27:11 vitoconnect user.warn kernel: [577884.129728] device_driven_update.sh: waiting for network default route (#190272)
Feb 6 12:27:11 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:14 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:27:14 vitoconnect user.warn kernel: [577887.164781] device_driven_update.sh: waiting for network default route (#190273)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122712', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:27:12 2021
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:27:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:27'12)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:27:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
```



```
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0d02', quality=0)
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [52.500000]
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:52.5
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:27:15 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:27:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:27:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
```

```
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e7e8a0000211b6200', quality=0)
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:27:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:27:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 11:27:17 vitoconnect user.warn kernel: [577890.200363] device_driven_update.sh: waiting for network default route (#190274)
Feb 6 12:27:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:27:20 vitoconnect user.warn kernel: [577893.235281] device_driven_update.sh: waiting for network default route (#190275)
Feb 6 12:27:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:27:23 vitoconnect user.warn kernel: [577896.270209] device_driven_update.sh: waiting for network default route (#190276)
Feb 6 12:27:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122723', quality=0)
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:27:23 2021
Feb 6 12:27:26 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
```

```
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:27'23)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0802', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [52.000000]
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:52.0
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:27:26 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 11:27:26 vitocconnect user.warn kernel: [577899.306802] device_driven_update.sh: waiting for network default route (#190277)
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:27:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
```

```
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e7f8b0000211b6200', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:27:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:27:28 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:29 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:27:29 vitocconnect user.warn kernel: [577902.343842] device_driven_update.sh: waiting for network default route (#190278)
Feb 6 12:27:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:30 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:31 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:32 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:27:33 vitocconnect user.warn kernel: [577905.379144] device_driven_update.sh: waiting for network default route (#190279)
Feb 6 12:27:33 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:33 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:35 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:27:36 vitocconnect user.warn kernel: [577908.414775] device_driven_update.sh: waiting for network default route (#190280)
Feb 6 12:27:36 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:27:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:27:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:27:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
```



```
Feb 6 12:27:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:27:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122734', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:27:34 2021
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:27:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:27'34)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0802', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:27:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
```

```
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e7f8a0000211b6200', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:27:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:27:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:27:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:27:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:27:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 11:27:39 vitoconnect user.warn kernel: [577911.450122] device_driven_update.sh: waiting for network default route (#190281)
Feb 6 12:27:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:27:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1a01', quality=0)
Feb 6 12:27:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:27:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:27:42 vitoconnect user.warn kernel: [577914.486699] device_driven_update.sh: waiting for network default route (#190282)
Feb 6 12:27:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:27:45 vitoconnect user.warn kernel: [577917.522665] device_driven_update.sh: waiting for network default route (#190283)
Feb 6 12:27:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122744', quality=0)
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:27:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
```

```
Feb 6 12:27:47 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:27:47 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:27:47 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:27:47 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:27:47 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:27:44 2021
Feb 6 12:27:47 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:27:47 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:27'44)
Feb 6 12:27:47 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:27:47 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1802', quality=0)
Feb 6 11:27:48 vitocconnect user.warn kernel: [577920.564351] device_driven_update.sh: waiting for network default route (#190284)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [53.599998]
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:53.6
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:27:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:27:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
```

```
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:27:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e7b890000211b6200', quality=0)
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:27:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:27:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:27:51 vitoconnect user.warn kernel: [577923.602400] device driven update.sh: waiting for network default route (#190285)
Feb 6 12:27:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:27:54 vitoconnect user.warn kernel: [577926.637452] device driven update.sh: waiting for network default route (#190286)
Feb 6 12:27:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:27:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```



```
Feb 6 12:27:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:27:57 vitoconnect user.warn kernel: [577929.672828] device_driven_update.sh: waiting for network default route (#190287)
Feb 6 12:27:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122755', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:27:55 2021
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:27:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:27:55)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:27:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1c02', quality=0)
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [54.000000]
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:54.0
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:27:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:27:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
```



```
Feb 6 12:28:02 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:28:03 vitocconnect user.warn kernel: [577935.747642] device_driven_update.sh: waiting for network default route (#190289)
Feb 6 12:28:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:28'00)
Feb 6 12:28:04 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:05 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:28:06 vitocconnect user.warn kernel: [577938.783147] device_driven_update.sh: waiting for network default route (#190290)
Feb 6 12:28:06 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:08 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122807', quality=0)
Feb 6 11:28:09 vitocconnect user.warn kernel: [577941.818422] device_driven_update.sh: waiting for network default route (#190291)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:28:07 2021
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:28:09 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:28'07)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1c02', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:28:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
```

```
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:28:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d7a870000211b6200', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:28:10 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:28:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1a01', quality=0)
Feb 6 12:28:12 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:28:12 vitocconnect user.warn kernel: [577944.858591] device_driven_update.sh: waiting for network default route (#190292)
Feb 6 12:28:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:13 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:14 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```



```
Feb 6 12:28:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:28:15 vitocconnect user.warn kernel: [577947.894206] device_driven_update.sh: waiting for network default route (#190293)
Feb 6 12:28:15 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:16 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:17 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:17 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:28:18 vitocconnect user.warn kernel: [577950.929742] device_driven_update.sh: waiting for network default route (#190294)
Feb 6 12:28:18 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:19 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122818', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:28:18 2021
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:28'18)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2102', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [54.500000]
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:54.5
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
```

```
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:28:20 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:28:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d79860000211b6200', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 11:28:21 vitocconnect user.warn kernel: [577953.964593] device_driven_update.sh: waiting for network default route (#190295)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:28:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
```

```
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1a01', quality=0)
Feb 6 12:28:22 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:23 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:24 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:28:24 vitocconnect user.warn kernel: [577957.002871] device_driven_update.sh: waiting for network default route (#190296)
Feb 6 12:28:25 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:28:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:25 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:26 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:28:27 vitocconnect user.warn kernel: [577960.038746] device_driven_update.sh: waiting for network default route (#190297)
Feb 6 12:28:27 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:28 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:30 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:28:30 vitocconnect user.warn kernel: [577963.074125] device_driven_update.sh: waiting for network default route (#190298)
Feb 6 12:28:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:28:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:28:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:28:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:28:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:28:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122829', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:28:29 2021
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:28'29)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2602', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [55.000000]
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
```

```
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:55.0
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:28:31 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:28:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d7885000211b6200', quality=0)
Feb 6 12:28:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
```



```
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:28:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:28:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:28:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:28:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:28:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:28:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:28:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1a01', quality=0)
Feb 6 12:28:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:28:33 vitoconnect user.warn kernel: [577966.109157] device_driven_update.sh: waiting for network default route (#190299)
Feb 6 12:28:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:28:36 vitoconnect user.warn kernel: [577969.144290] device_driven_update.sh: waiting for network default route (#190300)
Feb 6 12:28:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:28:39 vitoconnect user.warn kernel: [577972.179771] device_driven_update.sh: waiting for network default route (#190301)
Feb 6 12:28:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:28:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4402', quality=0)
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122839', quality=0)
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [heatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:28:39 2021
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:28:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:28'39)
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:28:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
```

```
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2b02', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [55.500000]
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:55.5
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:28:42 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 11:28:42 vitoconnect user.warn kernel: [577975.225900] device_driven_update.sh: waiting for network default route (#190302)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
```

```
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:28:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e77830000211b6200', quality=0)
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:28:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:28:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:28:45 vitoconnect user.warn kernel: [577978].264840] device_driven_update.sh: waiting for network default route (#190303)
Feb 6 12:28:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:28:48 vitoconnect user.warn kernel: [577981].300118] device_driven_update.sh: waiting for network default route (#190304)
Feb 6 12:28:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:28:51 vitoconnect user.warn kernel: [577984].335396] device_driven_update.sh: waiting for network default route (#190305)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122850', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
```

```
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:28:50 2021
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:28:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:28'50)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:28:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='3302', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [56.299999]
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:56.3
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:28:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
```



```
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d75810000211b6200', quality=0)
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:28:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:28:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1a01', quality=0)
Feb 6 11:28:55 vitoconnect user.warn kernel: [577987.370263] device_driven_update.sh: waiting for network default route (#190306)
Feb 6 12:28:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:28:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:28:58 vitoconnect user.warn kernel: [577990.406250] device_driven_update.sh: waiting for network default route (#190307)
Feb 6 12:28:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:28:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:28:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:29:01 vitoconnect user.warn kernel: [577993.442146] device_driven_update.sh: waiting for network default route (#190308)
Feb 6 12:29:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```

```
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122901', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:29:01 2021
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:29:03 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:29'01)
Feb 6 12:29:03 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:29'01)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='3a02', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:29:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:29:04 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:29:04 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [57.000000]
Feb 6 12:29:04 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:29:04 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:29:04 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:57.0
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:29:04 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:29:04 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:29:04 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 11:29:04 vitocconnect user.warn kernel: [577996.479824] device_driven_update.sh: waiting for network default route (#190309)
Feb 6 12:29:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
```

```
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d737e0000211b6200', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:29:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:29:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:29:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:29:07 vitoconnect user.warn kernel: [577999.518873] device_driven_update.sh: waiting for network default route (#190310)
Feb 6 12:29:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:29:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:08 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:29:10 vitocconnect user.warn kernel: [578002.554374] device_driven_update.sh: waiting for network default route (#190311)
Feb 6 12:29:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:29:10 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:11 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:13 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:29:13 vitocconnect user.warn kernel: [578005.590562] device_driven_update.sh: waiting for network default route (#190312)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122912', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:29:12 2021
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:29'12)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='4402', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [58.000000]
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:58.0
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
```



```
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:29:14 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:29:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d707b0000211b6200', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:29:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:29:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:29:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:29:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
```

```
Feb 6 12:29:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:29:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:29:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 11:29:16 vitoconnect user.warn kernel: [578008.626733] device_driven_update.sh: waiting for network default route (#190313)
Feb 6 12:29:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:29:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:29:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:29:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1a01', quality=0)
Feb 6 12:29:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:29:19 vitoconnect user.warn kernel: [578011.663423] device_driven_update.sh: waiting for network default route (#190314)
Feb 6 12:29:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:29:22 vitoconnect user.warn kernel: [578014.698477] device_driven_update.sh: waiting for network default route (#190315)
Feb 6 12:29:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:29:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:29:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:29:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122923', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time: Sat Feb 6 12:29:23 2021
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:29'23)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 11:29:25 vitoconnect user.warn kernel: [578017.733711] device_driven_update.sh: waiting for network default route (#190316)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='5102', quality=0)
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
```

```
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [59.299999]
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:59.3
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:29:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:29:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
```

```
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d6e7a0000211b6200', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:29:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:29:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:29:28 vitoconnect user.warn kernel: [578020.771744] device_driven_update.sh: waiting for network default route (#190317)
Feb 6 12:29:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:29:31 vitoconnect user.warn kernel: [578023.807430] device_driven_update.sh: waiting for network default route (#190318)
Feb 6 12:29:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:29:34 vitoconnect user.warn kernel: [578026.843146] device_driven_update.sh: waiting for network default route (#190319)
Feb 6 12:29:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122933', quality=0)
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:29:33 2021
Feb 6 12:29:35 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:29:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:29'33)
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
```



```
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='5802', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [60.000000]
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:60.0
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:29:36 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:29:36 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
```

```
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:29:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e6c790000211b6200', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 11:29:37 vitoconnect user.warn kernel: [578029.889333] device_driven_update.sh: waiting for network default route (#190320)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:29:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:29:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:29:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:29:40 vitoconnect user.warn kernel: [578032.926840] device_driven_update.sh: waiting for network default route (#190321)
Feb 6 12:29:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:29:43 vitoconnect user.warn kernel: [578035.961794] device_driven_update.sh: waiting for network default route (#190322)
Feb 6 12:29:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122944', quality=0)
Feb 6 11:29:46 vitoconnect user.warn kernel: [578038.997646] device_driven_update.sh: waiting for network default route (#190323)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:29:44 2021
```

```
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:29:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:29'44)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:29:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='6202', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [61.000000]
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:61.0
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:29:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
```

```
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:29:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e6a780000211b6200', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:29:48 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:29:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:49 vitoconnect user.warn kernel: [578042.035088] device_driven_update.sh: waiting for network default route (#190324)
Feb 6 12:29:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:52 vitoconnect user.warn kernel: [578045.070289] device_driven_update.sh: waiting for network default route (#190325)
Feb 6 12:29:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
```



```
Feb 6 11:29:55 vitoconnect user.warn kernel: [578048.105566] device_driven_update.sh: waiting for network default route (#190326)
Feb 6 12:29:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606122955', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:29:55 2021
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:29:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:29:55)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='6702', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:29:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [61.500000]
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:61.5
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:29:58 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:29:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
```



```
Feb 6 12:30:01 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:30:01 vitocconnect user.warn kernel: [578054.179925] device_driven_update.sh: waiting for network default route (#190328)
Feb 6 12:30:02 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:03 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:30'00)
Feb 6 12:30:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:04 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:30:04 vitocconnect user.warn kernel: [578057.215882] device_driven_update.sh: waiting for network default route (#190329)
Feb 6 12:30:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:05 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:06 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:30:07 vitocconnect user.warn kernel: [578060.253198] device_driven_update.sh: waiting for network default route (#190330)
Feb 6 12:30:07 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4302', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123006', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:30:06 2021
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:30'06)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0F', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7102', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [62.500000]
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:62.5
```

```
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:30:08 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:30:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d6778000211b6200', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:30:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:30:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
```



```
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:30:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:30:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:30:10 vitoconnect user.warn kernel: [578063.288334] device_driven_update.sh: waiting for network default route (#190331)
Feb 6 12:30:11 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:30:13 vitoconnect user.warn kernel: [578066.323516] device_driven_update.sh: waiting for network default route (#190332)
Feb 6 12:30:14 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:30:17 vitoconnect user.warn kernel: [578069.359171] device_driven_update.sh: waiting for network default route (#190333)
Feb 6 12:30:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:30:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:30:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:30:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123017', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:30:17 2021
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:30:19 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:30'17)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:30:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7102', quality=0)
```



```
Feb 6 12:30:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:30:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:30:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:30:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:30:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:30:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:30:23 vitoconnect user.warn kernel: [578075.431761] device_driven_update.sh: waiting for network default route (#190335)
Feb 6 12:30:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:30:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:30:26 vitoconnect user.warn kernel: [578078.467101] device_driven_update.sh: waiting for network default route (#190336)
Feb 6 12:30:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:30:29 vitoconnect user.warn kernel: [578081.502368] device_driven_update.sh: waiting for network default route (#190337)
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123027', quality=0)
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:30:27 2021
Feb 6 12:30:29 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:30:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:30'27)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7602', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
```

```
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [63.000000]
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:63.0
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:30:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:30:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d6677000211b6200', quality=0)
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
```



```
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:30:31 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:30:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:30:32 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 11:30:32 vitoconnect user.warn kernel: [578084.549665] device_driven_update.sh: waiting for network default route (#190338)
Feb 6 12:30:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:30:35 vitoconnect user.warn kernel: [578087.585640] device_driven_update.sh: waiting for network default route (#190339)
Feb 6 12:30:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:30:38 vitoconnect user.warn kernel: [578090.620742] device_driven_update.sh: waiting for network default route (#190340)
Feb 6 12:30:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='088E', value='2021020606123038', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:30:38 2021
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:30:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:30'38)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:30:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
```

```
Feb 6 12:30:40 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:30:40 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:30:40 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:30:40 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:30:40 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='7b02', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [63.500000]
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:63.5
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:30:41 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 11:30:41 vitocconnect user.warn kernel: [578093.656238] device_driven_update.sh: waiting for network default route (#190341)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:30:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
```

```
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:30:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0e65770000211b6200', quality=0)
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:30:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1c01', quality=0)
Feb 6 12:30:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:30:44 vitoconnect user.warn kernel: [578096.693620] device_driven_update.sh: waiting for network default route (#190342)
Feb 6 12:30:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:30:47 vitoconnect user.warn kernel: [578099.729242] device_driven_update.sh: waiting for network default route (#190343)
Feb 6 12:30:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:30:50 vitoconnect user.warn kernel: [578102.764835] device_driven_update.sh: waiting for network default route (#190344)
Feb 6 12:30:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123049', quality=0)
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:30:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
```





```
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='0d65750000211b6200', quality=0)
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:30:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 11:30:53 vitoconnect user.warn kernel: [578105.800461] device_driven_update.sh: waiting for network default route (#190345)
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:30:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='1a01', quality=0)
Feb 6 12:30:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:30:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:30:56 vitoconnect user.warn kernel: [578108.838112] device_driven_update.sh: waiting for network default route (#190346)
Feb 6 12:30:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:30:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:30:59 vitoconnect user.warn kernel: [578111.873120] device_driven_update.sh: waiting for network default route (#190347)
Feb 6 12:30:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:30:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123100', quality=0)
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:31:00 2021
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:31:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:31'00)
Feb 6 12:31:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:31'00)
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:31:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
```

```
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 11:31:02 vitocconnect user.warn kernel: [578114.908565] device_driven_update.sh: waiting for network default route (#190348)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='8002', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [64.000000]
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:64.0
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:31:02 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:31:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:31:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:31:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:31:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:31:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:31:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:31:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:31:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
```

```
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1264750000211b6200', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:31:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:31:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='2401', quality=0)
Feb 6 12:31:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:31:05 vitoconnect user.warn kernel: [578117.949840] device_driven_update.sh: waiting for network default route (#190349)
Feb 6 12:31:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:06 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:31:06 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:31:06 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:31:06 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:31:07 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:31:07 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:31:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:31:07 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:31:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:31:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 11:31:08 vitoconnect user.warn kernel: [578120.984905] device_driven_update.sh: waiting for network default route (#190350)
Feb 6 12:31:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:31:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
```

```
Feb 6 12:31:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:31:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 0
Feb 6 12:31:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kErrSsidNotFound
Feb 6 12:31:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] net_info[0].ssid: -
Feb 6 12:31:09 vitocconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:31:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:31:10 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:31:11 vitocconnect user.warn kernel: [578124.048543] device driven update.sh: waiting for network default route (#190351)
Feb 6 12:31:11 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:12 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:31:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:31:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:31:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123111', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:31:11 2021
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:31'11)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='8d02', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [65.300003]
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:65.3
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
```



```
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:31:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:31:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1c60730000211b6200', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 11:31:14 vitocconnect user.warn kernel: [578127.084799] device_driven_update.sh: waiting for network default route (#190352)
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:31:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:31:15 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:31:15 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
```

```
Feb 6 12:31:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:31:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:31:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:31:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:31:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:31:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='A305', value='3801', quality=0)
Feb 6 12:31:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:31:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:31:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:31:17 vitoconnect user.warn kernel: [578130.123494] device_driven_update.sh: waiting for network default route (#190353)
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN"},
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN"}, "ss
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:31:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:31:20 vitoconnect user.warn kernel: [578133.158748] device_driven_update.sh: waiting for network default route (#190354)
Feb 6 12:31:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 11:31:23 vitoconnect user.warn kernel: [578136.197237] device_driven_update.sh: waiting for network default route (#190355)
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='088E', value='2021020606123121', quality=0)
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:31:21 2021
Feb 6 12:31:23 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:31:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:31'21)
```

```
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='b202', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [69.000000]
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:69.0
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:31:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
```

```
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:31:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d59730000211b6200', quality=0)
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:31:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:31:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:31:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:31:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 11:31:26 vitoconnect user.warn kernel: [578139.239579] device_driven_update.sh: waiting for network default route (#190356)
Feb 6 12:31:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:31:29 vitoconnect user.warn kernel: [578142.275627] device_driven_update.sh: waiting for network default route (#190357)
Feb 6 12:31:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:31:32 vitoconnect user.warn kernel: [578145.311615] device_driven_update.sh: waiting for network default route (#190358)
Feb 6 12:31:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
```



```
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123132', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:31:32 2021
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:31:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:31'32)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:31:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='d002', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [72.000000]
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:72.0
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:31:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
```

```
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:31:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d53730000211b6200', quality=0)
Feb 6 11:31:35 vitoconnect user.warn kernel: [578148.346748] device_driven_update.sh: waiting for network default route (#190359)
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:31:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:31:39 vitoconnect user.warn kernel: [578151.383258] device_driven_update.sh: waiting for network default route (#190360)
Feb 6 12:31:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:31:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 11:31:42 vitoconnect user.warn kernel: [578154.418460] device_driven_update.sh: waiting for network default route (#190361)
Feb 6 12:31:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:31:45 vitoconnect user.warn kernel: [578157.455693] device_driven_update.sh: waiting for network default route (#190362)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123143', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:31:43 2021
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:31:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:31'43)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:31:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='df02', quality=0)
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [73.500000]
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:31:46 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:73.5
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:31:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
```





```
Feb 6 12:31:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:31:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:31:48 vitoconnect user.warn kernel: [578160.491481] device_driven_update.sh: waiting for network default route (#190363)
Feb 6 12:31:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:31:51 vitoconnect user.warn kernel: [578163.526739] device_driven_update.sh: waiting for network default route (#190364)
Feb 6 12:31:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:31:54 vitoconnect user.warn kernel: [578166.561795] device_driven_update.sh: waiting for network default route (#190365)
Feb 6 12:31:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:31:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:31:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123154', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:31:54 2021
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:31'54)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='f302', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhcCurrentFlowTemperature[0]
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [75.500000]
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:75.5
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
```

```
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:31:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:31:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 11:31:57 vitoconnect user.warn kernel: [578169.597189] device_driven_update.sh: waiting for network default route (#190366)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d4c6e0000211b6200', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:31:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:31:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:31:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:32:00 vitoconnect user.warn kernel: [578172.635759] device_driven_update.sh: waiting for network default route (#190367)
Feb 6 12:32:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:03 vitoconnect user.warn kernel: [578175.671754] device_driven_update.sh: waiting for network default route (#190368)
Feb 6 12:32:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:32'00)
Feb 6 12:32:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:06 vitoconnect user.warn kernel: [578178.708501] device_driven_update.sh: waiting for network default route (#190369)
Feb 6 12:32:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123205', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:32:05 2021
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:32:07 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:32'05)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:32:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
```

```
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0c03', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [78.000000]
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:78.0
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:32:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:32:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:32:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
```



```
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='55D3', value='1d486a0000211b6200', quality=0)
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:32:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 11:32:09 vitoconnect user.warn kernel: [578181.743697] device_driven_update.sh: waiting for network default route (#190370)
Feb 6 12:32:09 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:32:09 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPDISCOVER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:32:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:09 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:32:09 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:32:10 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:32:10 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:32:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:32:11 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:11 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:32:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:32:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 11:32:12 vitoconnect user.warn kernel: [578184.779235] device_driven_update.sh: waiting for network default route (#190371)
Feb 6 12:32:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
```

```
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:32:13 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:32:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:14 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:15 vitoconnect user.warn kernel: [578188.038720] device driven_update.sh: waiting for network default route (#190372)
Feb 6 12:32:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:32:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:32:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:32:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:32:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:32:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123215', quality=0)
Feb 6 12:32:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:32:15 2021
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:32'15)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1b03', quality=0)
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [79.500000]
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:79.5
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:32:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:32:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
```



```
Feb 6 12:32:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:32:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:32:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:32:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:32:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:32:21 vitoconnect user.warn kernel: [578194.112383] device_driven_update.sh: waiting for network default route (#190374)
Feb 6 12:32:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:32:24 vitoconnect user.warn kernel: [578197.147211] device_driven_update.sh: waiting for network default route (#190375)
Feb 6 12:32:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:32:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:27 vitoconnect user.warn kernel: [578200.181803] device_driven_update.sh: waiting for network default route (#190376)
Feb 6 12:32:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123226', quality=0)
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:32:26 2021
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:32:28 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:32'26)
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:32:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2a03', quality=0)
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:32:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
```



```
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [81.000000]
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:81.0
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:32:29 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:32:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d44610000211b6200', quality=0)
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
```

```
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 11:32:30 vitocconnect user.warn kernel: [578203.217835] device_driven_update.sh: waiting for network default route (#190377)
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:32:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:32:31 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:32 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:33 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:32:33 vitocconnect user.warn kernel: [578206.255545] device_driven_update.sh: waiting for network default route (#190378)
Feb 6 12:32:34 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:34 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:35 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:36 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:32:36 vitocconnect user.warn kernel: [578209.290807] device_driven_update.sh: waiting for network default route (#190379)
Feb 6 12:32:37 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:37 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:38 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123237', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:32:37 2021
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:32:39 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:32'37)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:32:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
```

```
Feb 6 12:32:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:32:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:32:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:32:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:32:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='3403', quality=0)
Feb 6 12:32:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:32:39 vitoconnect user.warn kernel: [578212.325715] device_driven_update.sh: waiting for network default route (#190380)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [82.000000]
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:82.0
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:32:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
```

```
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d425e0000211b6200', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:32:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:32:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:32:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:43 vitoconnect user.warn kernel: [578215.364219] device_driven_update.sh: waiting for network default route (#190381)
Feb 6 12:32:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:46 vitoconnect user.warn kernel: [578218.399612] device_driven_update.sh: waiting for network default route (#190382)
Feb 6 12:32:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:49 vitoconnect user.warn kernel: [578221.435343] device_driven_update.sh: waiting for network default route (#190383)
Feb 6 12:32:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123248', quality=0)
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:32:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
```





```
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00435c000001089000', quality=0)
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:32:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 11:32:52 vitoconnect user.warn kernel: [578224.470725] device_driven_update.sh: waiting for network default route (#190384)
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:32:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:32:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:55 vitoconnect user.warn kernel: [578227.508602] device_driven_update.sh: waiting for network default route (#190385)
Feb 6 12:32:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:32:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:57 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:32:57 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:32:57 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:32:57 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:32:57 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:32:57 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:32:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:57 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:32:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:32:58 vitoconnect user.warn kernel: [578230.543593] device_driven_update.sh: waiting for network default route (#190386)
Feb 6 12:32:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:32:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:32:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:32:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:32:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:32:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
Feb 6 12:32:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:32:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 0
Feb 6 12:32:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kErrSsidNotFound
Feb 6 12:32:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] net_info[0].ssid: -
Feb 6 12:32:59 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:32:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:33:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
```

```
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123259', quality=0)
Feb 6 11:33:01 vitocconnect user.warn kernel: [578233.580728] device_driven_update.sh: waiting for network default route (#190387)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:32:59 2021
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:32'59)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='f802', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [76.000000]
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:76.0
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:33:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
```

```
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:33:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='004d5d000001089000', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff')
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff')
Feb 6 12:33:02 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff')
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:33:03 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:33'00)
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:33:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:33:04 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:33:04 vitocconnect user.warn kernel: [578236.622863] device_driven_update.sh: waiting for network default route (#190388)
Feb 6 12:33:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:05 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:06 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
```



```
Feb 6 11:33:07 vitoconnect user.warn kernel: [578239.661931] device_driven_update.sh: waiting for network default route (#190389)
Feb 6 12:33:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:33:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:33:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:33:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:33:10 vitoconnect user.warn kernel: [578242.711197] device_driven_update.sh: waiting for network default route (#190390)
Feb 6 12:33:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:33:10 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:11 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:33:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:33:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:33:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:33:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:33:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123309', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:33:09 2021
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:33:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:33'09)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:33:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
```

```
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='c602', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [71.000000]
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:71.0
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:33:12 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:33:12 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:33:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
```

```
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00565f000001089000', quality=0)
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 11:33:13 vitoconnect user.warn kernel: [578245.746475] device_driven_update.sh: waiting for network default route (#190391)
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:33:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:33:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:33:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:33:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:33:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:33:14 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:33:16 vitoconnect user.warn kernel: [578248.784795] device_driven_update.sh: waiting for network default route (#190392)
Feb 6 12:33:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:33:19 vitoconnect user.warn kernel: [578251.820648] device_driven_update.sh: waiting for network default route (#190393)
Feb 6 12:33:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:33:22 vitoconnect user.warn kernel: [578254.856235] device_driven_update.sh: waiting for network default route (#190394)
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123320', quality=0)
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:33:20 2021
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:33:22 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:33'20)
Feb 6 12:33:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
```

```
Feb 6 12:33:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='b702', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [69.500000]
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:69.5
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:33:23 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:33:23 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
```



```
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:33:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='005863000001089000', quality=0)
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:33:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:33:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:33:25 vitoconnect user.warn kernel: [578257.892701] device_driven_update.sh: waiting for network default route (#190395)
Feb 6 12:33:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:27 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:33:27 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:33:27 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:33:27 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:33:28 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:33:28 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:33:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:28 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 11:33:28 vitoconnect user.warn kernel: [578260.927762] device_driven_update.sh: waiting for network default route (#190396)
Feb 6 12:33:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:33:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
```

```
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:33:30 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:33:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:33:31 vitoconnect user.warn kernel: [578263.963392] device_driven_update.sh: waiting for network default route (#190397)
Feb 6 12:33:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='088E', value='2021020606123331', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:33:31 2021
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:33:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:33'31)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:33:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Setting data (id='2900', value='9902', quality=0)
Feb 6 12:33:34 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:33:34 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [66.500000]
Feb 6 12:33:34 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:33:34 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:33:34 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:33:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:66.5
Feb 6 12:33:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
```



```
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:33:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:33:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:33:37 vitoconnect user.warn kernel: [578270.038572] device_driven_update.sh: waiting for network default route (#190399)
Feb 6 12:33:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:33:40 vitoconnect user.warn kernel: [578273.074130] device_driven_update.sh: waiting for network default route (#190400)
Feb 6 12:33:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:33:43 vitoconnect user.warn kernel: [578276.109293] device_driven_update.sh: waiting for network default route (#190401)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123342', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:33:42 2021
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:33'42)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
```



```
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='8002', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [64.000000]
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:64.0
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:33:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:33:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
```

```
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00656a000011000000', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:33:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:33:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:33:46 vitoconnect user.warn kernel: [578279.144359] device_driven_update.sh: waiting for network default route (#190402)
Feb 6 12:33:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:33:49 vitoconnect user.warn kernel: [578282.180098] device_driven_update.sh: waiting for network default route (#190403)
Feb 6 12:33:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:33:52 vitoconnect user.warn kernel: [578285.215894] device_driven_update.sh: waiting for network default route (#190404)
Feb 6 12:33:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123353', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:33:53 2021
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:33:53)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
```

```
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='6c02', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [62.000000]
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:62.0
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:33:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 11:33:55 vitoconnect user.warn kernel: [578288.251427] device_driven_update.sh: waiting for network default route (#190405)
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:33:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
```

```
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:33:56 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:33:56 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:33:56 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:33:56 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:33:56 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:33:56 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is vl.2.4 (1.2.4-master)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00686c000011000000', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:33:56 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:33:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:33:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
```



```
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"aut
Feb 6 12:33:58 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 11:33:58 vitoconnect user.warn kernel: [578291.289656] device_driven_update.sh: waiting for network default route (#190406)
Feb 6 12:33:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:33:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:34:01 vitoconnect user.warn kernel: [578294.324782] device_driven_update.sh: waiting for network default route (#190407)
Feb 6 12:34:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:34'00)
Feb 6 12:34:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:34:05 vitoconnect user.warn kernel: [578297.378831] device_driven_update.sh: waiting for network default route (#190408)
Feb 6 12:34:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:34:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:34:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:34:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:34:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:34:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123403', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:34:03 2021
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:34'03)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='5802', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
```

```
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [60.000000]
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:60.0
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:34:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:34:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='006d6f000011000000', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
```

```
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:34:07 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:34:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:34:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 11:34:08 vitoconnect user.warn kernel: [578300.414803] device_driven_update.sh: waiting for network default route (#190409)
Feb 6 12:34:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:34:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:34:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:34:08 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:34:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:34:10 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:34:11 vitoconnect user.warn kernel: [578303.452799] device_driven_update.sh: waiting for network default route (#190410)
Feb 6 12:34:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:11 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:14 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:34:14 vitoconnect user.warn kernel: [578306.488193] device_driven_update.sh: waiting for network default route (#190411)
Feb 6 12:34:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='088E', value='2021020606123414', quality=0)
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:34:14 2021
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:34:16 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:34'14)
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:34:16 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='27C6', value='4a', quality=0)
```

```
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 11:34:17 vitoconnect user.warn kernel: [578309.523490] device_driven_update.sh: waiting for network default route (#190412)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='4902', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [58.500000]
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:58.5
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:34:17 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
```



```
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:34:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007171000011000000', quality=0)
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:34:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:34:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:34:20 vitoconnect user.warn kernel: [578312.561448] device_driven_update.sh: waiting for network default route (#190413)
Feb 6 12:34:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:34:23 vitoconnect user.warn kernel: [578315.597202] device_driven_update.sh: waiting for network default route (#190414)
Feb 6 12:34:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:34:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:34:26 vitoconnect user.warn kernel: [578318.632678] device_driven_update.sh: waiting for network default route (#190415)
Feb 6 12:34:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123425', quality=0)
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:34:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
```

```
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:34:25 2021
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:34:27 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:34'25)
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:34:27 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='3a02', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [57.000000]
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:57.0
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:34:28 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
```

```
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007374000011000000', quality=0)
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:34:28 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 11:34:29 vitocconnect user.warn kernel: [578321.668249] device_driven_update.sh: waiting for network default route (#190416)
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:34:29 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:34:30 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:31 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:34:32 vitocconnect user.warn kernel: [578324.707127] device_driven_update.sh: waiting for network default route (#190417)
Feb 6 12:34:32 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:33 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:33 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:34 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:35 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:34:35 vitocconnect user.warn kernel: [578327.743103] device_driven_update.sh: waiting for network default route (#190418)
Feb 6 12:34:36 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:36 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:37 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:37 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:38 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123436', quality=0)
Feb 6 11:34:38 vitoconnect user.warn kernel: [578330.778807] device_driven_update.sh: waiting for network default route (#190419)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:34:36 2021
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:34'36)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='3302', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [56.299999]
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:56.3
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:34:38 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:34:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
```



```
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007676000011000000', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:34:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:34:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:34:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:34:41 vitoconnect user.warn kernel: [578333.816611] device_driven_update.sh: waiting for network default route (#190420)
Feb 6 12:34:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:34:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:34:44 vitoconnect user.warn kernel: [578336.851762] device_driven_update.sh: waiting for network default route (#190421)
Feb 6 12:34:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:34:47 vitoconnect user.warn kernel: [578339.887137] device_driven_update.sh: waiting for network default route (#190422)
Feb 6 12:34:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123447', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:34:47 2021
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:34:49 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:34'47)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2602', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [55.000000]
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:34:49 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:34:49 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:55.0
Feb 6 12:34:49 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:34:49 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
```

```
Feb 6 12:34:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:34:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:34:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:34:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:34:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:34:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:34:49 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:34:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007878000011000000', quality=0)
Feb 6 11:34:50 vitocconnect user.warn kernel: [578342.922897] device_driven_update.sh: waiting for network default route (#190423)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:34:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
```

```
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:34:51 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:52 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:52 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:53 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:34:53 vitocconnect user.warn kernel: [578345.961090] device_driven_update.sh: waiting for network default route (#190424)
Feb 6 12:34:53 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:54 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:54 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:55 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:34:55 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:55 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:34:56 vitocconnect user.warn kernel: [578348.996240] device_driven_update.sh: waiting for network default route (#190425)
Feb 6 12:34:56 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:56 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:57 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:58 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:34:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:34:59 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:34:59 vitocconnect user.warn kernel: [578352.064826] device_driven_update.sh: waiting for network default route (#190426)
Feb 6 12:34:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:34:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:34:59 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:34:59 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123458', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:34:58 2021
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:34'58)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1c02', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
```



```
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [54.000000]
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:54.0
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:35:00 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:35:00 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='55D3', value='007a7a000011000000', quality=0)
Feb 6 12:35:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
```

```
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:35:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:35:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:35:02 vitoconnect user.warn kernel: [578355.100609] device_driven_update.sh: waiting for network default route (#190427)
Feb 6 12:35:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule (kSaturday,12:35'00)
Feb 6 12:35:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:35:05 vitoconnect user.warn kernel: [578358.136395] device_driven_update.sh: waiting for network default route (#190428)
Feb 6 12:35:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:35:08 vitoconnect user.warn kernel: [578361.171821] device_driven_update.sh: waiting for network default route (#190429)
Feb 6 12:35:09 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123508', quality=0)
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:35:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:35:08 2021
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:35:11 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync (kSaturday,12:35'08)
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
```

```
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1802', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [53.599998]
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:53.6
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:35:11 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 11:35:11 vitocconnect user.warn kernel: [578364.206744] device_driven_update.sh: waiting for network default route (#190430)
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:35:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
```

```
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:35:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007c7c000011000000', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:35:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:35:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:14 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:35:14 vitoconnect user.warn kernel: [578367.244218] device_driven_update.sh: waiting for network default route (#190431)
Feb 6 12:35:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:35:17 vitoconnect user.warn kernel: [578370.280113] device_driven_update.sh: waiting for network default route (#190432)
Feb 6 12:35:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:35:20 vitoconnect user.warn kernel: [578373.315818] device_driven_update.sh: waiting for network default route (#190433)
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123519', quality=0)
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:35:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
```



```
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:35:19 2021
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:35:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:35'19)
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:35:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1202', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [53.000000]
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:53.0
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:35:22 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:35:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
```

```
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:35:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007d7d000011000000', quality=0)
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:35:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:35:24 vitoconnect user.warn kernel: [578376.351242] device_driven_update.sh: waiting for network default route (#190434)
Feb 6 12:35:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:35:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:35:27 vitoconnect user.warn kernel: [578379.386465] device_driven_update.sh: waiting for network default route (#190435)
Feb 6 12:35:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:35:30 vitoconnect user.warn kernel: [578382.421658] device_driven_update.sh: waiting for network default route (#190436)
Feb 6 12:35:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```

```
Feb 6 12:35:31 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123530', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:35:30 2021
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:35'30)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0d02', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [52.500000]
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:52.5
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:35:32 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:35:32 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:35:33 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:35:33 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 11:35:33 vitocconnect user.warn kernel: [578385.457359] device_driven_update.sh: waiting for network default route (#190437)
```

```
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007e7f000011000000', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:35:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:35:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:35:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:35:36 vitoconnect user.warn kernel: [578388.496116] device_driven_update.sh: waiting for network default route (#190438)
```



```
Feb 6 12:35:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:39 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:35:39 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 11:35:39 vitoconnect user.warn kernel: [578391.532193] device_driven_update.sh: waiting for network default route (#190439)
Feb 6 12:35:39 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:35:39 vitoconnect daemon.info dnsmasq-dhcp[18860]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:35:39 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:35:39 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:35:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:39 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:35:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:35:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:35:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:35:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:35:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:35:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:35:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 0
Feb 6 12:35:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kErrSsidNotFound
Feb 6 12:35:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] net_info[0].ssid: -
Feb 6 12:35:42 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 11:35:42 vitoconnect user.warn kernel: [578394.569470] device_driven_update.sh: waiting for network default route (#190440)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123541', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:35:41 2021
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:35'41)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
```

```
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0802', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [52.000000]
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:52.0
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:35:43 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:35:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
```

```
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='007f80000011000000', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:35:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 11:35:45 vitoconnect user.warn kernel: [578397.604731] device_driven_update.sh: waiting for network default route (#190441)
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:35:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:35:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:35:48 vitoconnect user.warn kernel: [578400.642798] device_driven_update.sh: waiting for network default route (#190442)
Feb 6 12:35:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:49 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:35:49 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:35:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:49 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:35:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:35:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 11:35:51 vitoconnect user.warn kernel: [578403.647773] device_driven_update.sh: waiting for network default route (#190443)
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-84,"ssid":"jutoWLAN",
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-84,"ssid":"jutoWLAN","ss
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"autf
```

```
Feb 6 12:35:51 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:35:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:35:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-84,"ssid":"jutoWLAN",
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-84,"ssid":"jutoWLAN","ss
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:35:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123552', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:35:52 2021
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:35'52)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 11:35:54 vitoconnect user.warn kernel: [578406.733929] device_driven_update.sh: waiting for network default route (#190444)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0402', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [51.599998]
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:51.6
```



```
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:35:54 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:35:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008081000011000000', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:35:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
```

```
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5',_value='00', quality=0)
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360',_value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A',_value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:35:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4',_value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561',_value='00000000000000000000', quality=0)
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700',_value='02', quality=0)
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851',_value='00', quality=0)
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:35:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305',_value='0000', quality=0)
Feb 6 12:35:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:35:57 vitoconnect user.warn kernel: [578409.781754] device_driven_update.sh: waiting for network default route (#190445)
Feb 6 12:35:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:35:59 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:35:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:35:59 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:35:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:36:00 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 11:36:00 vitoconnect user.warn kernel: [578412.820274] device_driven_update.sh: waiting for network default route (#190446)
Feb 6 12:36:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:36:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:36:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-81,"ssid":"jutoWLAN",
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-81,"ssid":"jutoWLAN","ss
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:36:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:36'00)
Feb 6 11:36:03 vitoconnect user.warn kernel: [578415.856192] device_driven_update.sh: waiting for network default route (#190447)
Feb 6 12:36:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:36:04 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:36:04 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:36:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:36:04 vitocconnect user.debug srt: [nc-select-router] [debug] kNetworkStateWlanAccesspointConnected
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123602', quality=0)
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:36:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:36:02 2021
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:36'02)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0102', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [51.299999]
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:51.3
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:36:05 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:36:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
```

```
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Virtual nc::Result nc::NetworkCtrl::SelectWlanRouter(const char*, const char*, const
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] SelectWlanRouter : ssid = *****, key = *****
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Connection attempt to specified network (ignoring AP scan results)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SelectWlanRouterInternal()
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkModeInternal(nc::NetworkMode)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 2
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = nor station nor AP mode active
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [broker] [debug] NetworkControlService> pub: kNetwork/kWifiMode: network: unknown state
Feb 6 12:36:05 vitoconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: unknown state
Feb 6 12:36:05 vitoconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '4'.
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:36:05 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008182000011000000', quality=0)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 11:36:06 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for 192.168.1.1 on wlan.ap.
Feb 6 11:36:06 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.ap.IPv4 with address 192.168.1.1.
Feb 6 11:36:06 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.ap.IPv4 no longer relevant for mDNS.
Feb 6 11:36:06 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.ap.IPv6 no longer relevant for mDNS.
Feb 6 11:36:06 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.ap.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
```



```
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 11:36:06 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for fe80::e291:53ff:fea9:9812 on wlan.ap.
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 11:36:06 vitoconnect user.warn kernel: [578418.892272] device_driven_update.sh: waiting for network default route (#190448)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:36:06 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateOffline
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Existing Configuration
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanStaCredentials()
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] SSID=***** / KEY=***** / TYPE=wpa2
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:36:07 vitoconnect user.notice root: /usr/bin/cm/sta/./common/destroy_wlan_interfaces.sh: No WLAN interfaces found.No interfaces destroyed.
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:36:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:36:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:36:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:36:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:08 vitoconnect user.info kernel: [578420.574266] IPv6: ADDRCONF(NETDEV_UP): wlan.sta: link is not ready
Feb 6 12:36:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:09 vitoconnect user.notice root: /tmp/udhcpc.scr: Flushing wlan.sta address.
Feb 6 11:36:09 vitoconnect user.warn kernel: [578421.929024] device_driven_update.sh: waiting for network default route (#190449)
Feb 6 12:36:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:36:10 vitoconnect user.info kernel: [578422.880843] wlan.sta: authenticate with c8:0e:14:ee:69:1d
Feb 6 11:36:10 vitoconnect user.info kernel: [578422.912132] wlan.sta: send auth to c8:0e:14:ee:69:1d (try 1/3)
Feb 6 11:36:10 vitoconnect user.info kernel: [578423.314497] wlan.sta: authenticated
Feb 6 11:36:10 vitoconnect user.info kernel: [578423.316046] wlan.sta: associate with c8:0e:14:ee:69:1d (try 1/3)
Feb 6 11:36:10 vitoconnect user.info kernel: [578423.328111] wlan.sta: RX AssocResp from c8:0e:14:ee:69:1d (capab=0x1431 status=0 aid=5)
Feb 6 11:36:10 vitoconnect user.info kernel: [578423.328457] wlan.sta: associated
Feb 6 11:36:10 vitoconnect user.info kernel: [578423.328661] IPv6: ADDRCONF(NETDEV_CHANGE): wlan.sta: link becomes ready
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388234] cfg80211: Updating information on frequency 2412 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388266] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388284] cfg80211: Updating information on frequency 2417 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388300] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388315] cfg80211: Updating information on frequency 2422 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388331] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388346] cfg80211: Updating information on frequency 2427 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388362] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388377] cfg80211: Updating information on frequency 2432 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388393] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388408] cfg80211: Updating information on frequency 2437 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388424] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388439] cfg80211: Updating information on frequency 2442 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388455] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388470] cfg80211: Updating information on frequency 2447 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388486] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388501] cfg80211: Updating information on frequency 2452 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388517] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
```

```
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388532] cfg80211: Updating information on frequency 2457 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388548] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388563] cfg80211: Updating information on frequency 2462 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388579] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388594] cfg80211: Updating information on frequency 2467 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388610] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388625] cfg80211: Updating information on frequency 2472 MHz with regulatory rule:
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388641] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:36:11 vitoconnect user.debug kernel: [578423.388654] cfg80211: Disabling freq 2484 MHz
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.388733] cfg80211: Regulatory domain changed to country: DE
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.388810] cfg80211: DFS Master region: ETSI
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.388834] cfg80211: (start_freq - end_freq @ bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.399404] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.399534] cfg80211: (5150000 KHz - 5250000 KHz @ 80000 KHz, 200000 KHz AUTO), (N/A, 2301 mBm), (N/A)
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.399629] cfg80211: (5250000 KHz - 5350000 KHz @ 80000 KHz, 200000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.399721] cfg80211: (5470000 KHz - 5725000 KHz @ 160000 KHz), (N/A, 2698 mBm), (0 s)
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.399809] cfg80211: (5725000 KHz - 5875000 KHz @ 80000 KHz), (N/A, 1397 mBm), (N/A)
Feb 6 11:36:11 vitoconnect user.info kernel: [578423.399897] cfg80211: (57000000 KHz - 66000000 KHz @ 2160000 KHz), (N/A, 4000 mBm), (N/A)
Feb 6 12:36:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:12 vitoconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.sta.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:36:12 vitoconnect daemon.info avahi-daemon[378]: New relevant interface wlan.sta.IPv6 for mDNS.
Feb 6 11:36:12 vitoconnect daemon.info avahi-daemon[378]: Registering new address record for fe80::e291:53ff:fea9:9812 on wlan.sta.*.
Feb 6 11:36:12 vitoconnect user.warn kernel: [578424.969167] device_driven_update.sh: waiting for network default route (#190450)
Feb 6 12:36:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 11:36:15 vitoconnect user.warn kernel: [578428.007610] device_driven_update.sh: waiting for network default route (#190451)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123613', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:36:13 2021
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:36:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:36'13)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:36:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:36:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:36:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='fe01', quality=0)
Feb 6 12:36:16 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:36:16 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [51.000000]
```

```
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:51.0
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:36:16 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:36:16 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008283000011000000', quality=0)
```

```
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:36:17 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:36:18 vitoconnect user.warn kernel: [578431.044174] device_driven_update.sh: waiting for network default route (#190452)
Feb 6 12:36:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:20 vitoconnect user.debug kernel: [578432.776517] wlan.sta: Limiting TX power to 20 (20 - 0) dBm as advertised by c8:0e:14:ee:69:1d
Feb 6 12:36:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Popen command result: OK
Feb 6 12:36:20 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 3
Feb 6 12:36:20 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:36:20 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = station mode (client is connecting)
Feb 6 12:36:20 vitoconnect user.debug coreapp-main: [broker] [debug] NetworkControlService> pub: kNetwork/kWifiMode: network: Station
Feb 6 12:36:20 vitoconnect user.err coreapp-main: [nc_network_ctrl] [error] WLAN start/stop script failed: OK
Feb 6 12:36:20 vitoconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: Station
Feb 6 12:36:20 vitoconnect user.info coreapp-main: [statecontrol] [info] state(wifi: AccessPoint), event(event: NetworkStationConnecting), transition(wifi: Static
Feb 6 12:36:20 vitoconnect user.debug coreapp-main: [statecontrol] [debug] publish new state: {heating unit: Connected, heating unit op mode: Regular, critical: f
Feb 6 12:36:20 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kNetwork/kRequestedWifiMode: network: Station
Feb 6 12:36:20 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kSystemStates/kState: ?
Feb 6 12:36:20 vitoconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '1'.
Feb 6 12:36:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:21 vitoconnect user.warn kernel: [578434.078822] device_driven_update.sh: waiting for network default route (#190453)
Feb 6 12:36:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:24 vitoconnect user.warn kernel: [578437.112724] device_driven_update.sh: waiting for network default route (#190454)
Feb 6 12:36:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123624', quality=0)
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:36:24 2021
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:36:26 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:36'24)
Feb 6 12:36:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
```





```
Feb 6 12:36:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:36:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:36:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:36:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:36:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:36:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:30 vitoconnect user.warn kernel: [578443.182639] device_driven_update.sh: waiting for network default route (#190456)
Feb 6 12:36:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateWaitForNetwork
Feb 6 12:36:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:36:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:36:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateConfigCheck
Feb 6 12:36:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (***** not successfully done
Feb 6 11:36:33 vitoconnect user.warn kernel: [578446.216569] device_driven_update.sh: waiting for network default route (#190457)
Feb 6 12:36:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:36 vitoconnect user.warn kernel: [578449.252223] device_driven_update.sh: waiting for network default route (#190458)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123635', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:36:35 2021
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:36'35)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
```

```
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='f901', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [50.500000]
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:50.5
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:36:37 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:36:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:36:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
```

```
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008384000011000000', quality=0)
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:36:38 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:36:39 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:36:39 vitocconnect user.warn kernel: [578452.286929] device_driven_update.sh: waiting for network default route (#190459)
Feb 6 12:36:40 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:36:40 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:41 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:42 vitocconnect user.warn kernel: [578455.321603] device_driven_update.sh: waiting for network default route (#190460)
Feb 6 12:36:43 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (***** ) not successfully done
Feb 6 12:36:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:44 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:45 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:46 vitocconnect user.warn kernel: [578458.399785] device_driven_update.sh: waiting for network default route (#190461)
Feb 6 12:36:46 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123646', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [heatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:36:46 2021
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:36:48 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:36'46)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:36:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
```





```
Feb 6 12:36:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:36:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:36:49 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:36:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:36:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:36:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:36:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:36:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:36:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:36:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:36:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:36:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:52 vitoconnect user.warn kernel: [578464.469751] device_driven_update.sh: waiting for network default route (#190463)
Feb 6 12:36:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (***** ) not successfully done
Feb 6 12:36:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:55 vitoconnect user.warn kernel: [578467.503712] device_driven_update.sh: waiting for network default route (#190464)
Feb 6 12:36:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:36:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:36:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:36:58 vitoconnect user.warn kernel: [578470.537600] device_driven_update.sh: waiting for network default route (#190465)
Feb 6 12:36:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:36:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:36:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:36:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:36:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:36:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123656', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:36:56 2021
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:36:56)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='f401', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
```

```
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [50.000000]
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:50.0
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:36:59 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:36:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008486000011000000', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
```

```
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:37:00 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:37:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:37:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:37:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:37:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:37:01 vitoconnect user.warn kernel: [578473.571697] device_driven_update.sh: waiting for network default route (#190466)
Feb 6 12:37:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkModeInternal(nc::NetworkMode)
Feb 6 12:37:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:37:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetApConfig(char*, char*)
Feb 6 12:37:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:37:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:03 vitoconnect user.info kernel: [578475.660007] wlan.sta: deauthenticating from c8:0e:14:ee:69:1d by local choice (Reason: 3=DEAUTH_LEAVING)
Feb 6 11:37:03 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.sta.IPv6 no longer relevant for mDNS.
Feb 6 11:37:03 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.sta.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:37:03 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for fe80::e291:53ff:fea9:9812 on wlan.sta.
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.089550] cfg80211: All devices are disconnected, going to restore regulatory settings
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.089580] cfg80211: Restoring regulatory settings
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.089600] cfg80211: Kicking the queue
Feb 6 12:37:03 vitoconnect user.notice root: /usr/bin/cm/ap/./common/destroy_wlan_interfaces.sh: WLAN wlan.sta interface destroyed.
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169211] cfg80211: Updating information on frequency 2412 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169243] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169260] cfg80211: Updating information on frequency 2417 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169276] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169291] cfg80211: Updating information on frequency 2422 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169307] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169322] cfg80211: Updating information on frequency 2427 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169338] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169353] cfg80211: Updating information on frequency 2432 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169369] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169384] cfg80211: Updating information on frequency 2437 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169399] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169415] cfg80211: Updating information on frequency 2442 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169430] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169446] cfg80211: Updating information on frequency 2447 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169461] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169476] cfg80211: Updating information on frequency 2452 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169492] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169507] cfg80211: Updating information on frequency 2457 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169523] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169538] cfg80211: Updating information on frequency 2462 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169554] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169569] cfg80211: Updating information on frequency 2467 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169585] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169600] cfg80211: Updating information on frequency 2472 MHz with regulatory rule:
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169616] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:37:03 vitoconnect user.debug kernel: [578476.169630] cfg80211: Disabling freq 2484 MHz
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.169706] cfg80211: World regulatory domain updated:
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.169782] cfg80211: DFS Master region: unset
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.169806] cfg80211: (start_freq - end_freq @ bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
```



```
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.169925] cfg80211: (2402000 KHz - 2472000 KHz @ 40000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.173898] cfg80211: (2457000 KHz - 2482000 KHz @ 20000 KHz, 92000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.174404] cfg80211: (2474000 KHz - 2494000 KHz @ 20000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.174521] cfg80211: (5170000 KHz - 5250000 KHz @ 80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.174615] cfg80211: (5250000 KHz - 5330000 KHz @ 80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.174707] cfg80211: (5490000 KHz - 5730000 KHz @ 160000 KHz), (N/A, 2000 mBm), (0 s)
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.174795] cfg80211: (5735000 KHz - 5835000 KHz @ 80000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:37:03 vitoconnect user.info kernel: [578476.174883] cfg80211: (57240000 KHz - 63720000 KHz @ 2160000 KHz), (N/A, 0 mBm), (N/A)
Feb 6 12:37:04 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:37'00)
Feb 6 12:37:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:37:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:37:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:04 vitoconnect user.warn kernel: [578476.606735] device_driven_update.sh: waiting for network default route (#190467)
Feb 6 12:37:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:37:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 11:37:04 vitoconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.ap.IPv4 with address 192.168.1.1.
Feb 6 11:37:04 vitoconnect daemon.info avahi-daemon[378]: New relevant interface wlan.ap.IPv4 for mDNS.
Feb 6 11:37:04 vitoconnect daemon.info avahi-daemon[378]: Registering new address record for 192.168.1.1 on wlan.ap.IPv4.
Feb 6 11:37:04 vitoconnect user.info kernel: [578476.807662] IPv6: ADDRCONF(NETDEV_UP): wlan.ap: link is not ready
Feb 6 12:37:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:05 vitoconnect daemon.info dnsmasq[23181]: started, version 2.80 cachesize 150
Feb 6 12:37:05 vitoconnect daemon.info dnsmasq[23181]: compile time options: IPv6 GNU-getopt no-DBus no-i18n no-IDN DHCP DHCPv6 no-Lua TFTP no-contrack ipset aut
Feb 6 12:37:05 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCP, IP range 192.168.1.2 -- 192.168.1.254, lease time 12h
Feb 6 12:37:05 vitoconnect daemon.info dnsmasq[23181]: using local addresses only for domain lan
Feb 6 12:37:05 vitoconnect daemon.info dnsmasq[23181]: read /etc/hosts - 6 addresses
Feb 6 12:37:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:06 vitoconnect user.info kernel: [578479.122147] IPv6: ADDRCONF(NETDEV_CHANGE): wlan.ap: link becomes ready
Feb 6 11:37:07 vitoconnect user.warn kernel: [578479.668235] device_driven_update.sh: waiting for network default route (#190468)
Feb 6 12:37:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:07 vitoconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.ap.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:37:07 vitoconnect daemon.info avahi-daemon[378]: New relevant interface wlan.ap.IPv6 for mDNS.
Feb 6 11:37:07 vitoconnect daemon.info avahi-daemon[378]: Registering new address record for fe80::e291:53ff:fea9:9812 on wlan.ap.*.
Feb 6 12:37:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123707', quality=0)
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:37:07 2021
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:37:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:37'07)
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:37:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:37:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:37:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:37:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:37:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:37:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:37:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:37:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:37:10 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
```



```
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:37:11 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:37:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:13 vitoconnect user.warn kernel: [578485.741794] device_driven_update.sh: waiting for network default route (#190470)
Feb 6 12:37:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Popen command result: OK
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 5
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = access point mode
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [broker] [debug] NetworkControlService> pub: kNetwork/kWifiMode: network: AccessPoint
Feb 6 12:37:15 vitoconnect user.err coreapp-main: [nc_network_ctrl] [error] WLAN start/stop script failed: OK
Feb 6 12:37:15 vitoconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: AccessPoint
Feb 6 12:37:15 vitoconnect user.info coreapp-main: [statecontrol] [info] state(wifi: StationConnecting), event(event: NetworkAccessPointMode), transition(wifi: Ac
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [statecontrol] [debug] publish new state: {heating unit: Connected, heating unit op mode: Regular, critical: f
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kNetwork/kRequestedWifiMode: network: AccessPoint
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kSystemStates/kState: ?
Feb 6 12:37:15 vitoconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '0'.
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 6
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:37:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = access point mode
Feb 6 12:37:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:16 vitoconnect user.warn kernel: [578488.777694] device_driven_update.sh: waiting for network default route (#190471)
Feb 6 12:37:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:19 vitoconnect user.warn kernel: [578491.813468] device_driven_update.sh: waiting for network default route (#190472)
Feb 6 12:37:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123718', quality=0)
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:37:18 2021
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingUnitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:37:20 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:37:18)
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:37:20 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
```

```
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:37:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='ef01', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [49.500000]
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:49.5
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:37:21 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
```



```
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008587000011000000', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:37:21 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 11:37:22 vitocconnect user.warn kernel: [578494.848289] device_driven_update.sh: waiting for network default route (#190473)
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:37:22 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:37:23 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:24 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:25 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:37:25 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:37:25 vitocconnect user.warn kernel: [578497.884085] device_driven_update.sh: waiting for network default route (#190474)
Feb 6 12:37:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:26 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:27 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:27 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:28 vitocconnect user.warn kernel: [578500.919197] device_driven_update.sh: waiting for network default route (#190475)
Feb 6 12:37:28 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:29 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:29 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:30 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:37:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:37:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:37:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:37:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:37:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123729', quality=0)
Feb 6 12:37:31 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:37:31 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:37:29 2021
```

```
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:37'29)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 11:37:31 vitoconnect user.warn kernel: [578503.955305] device_driven_update.sh: waiting for network default route (#190476)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='ea01', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [49.000000]
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:49.0
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:37:31 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:37:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008688000011000000', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:37:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:37:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:37:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:34 vitoconnect user.warn kernel: [578506.996583] device_driven_update.sh: waiting for network default route (#190477)
Feb 6 12:37:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:37 vitoconnect user.warn kernel: [578510.050297] device_driven_update.sh: waiting for network default route (#190478)
Feb 6 12:37:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```

```
Feb 6 12:37:40 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:37:40 vitocconnect user.warn kernel: [578513.085644] device_driven_update.sh: waiting for network default route (#190479)
Feb 6 12:37:40 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:40 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:41 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123740', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:37:40 2021
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:37:42 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:37'40)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='ea01', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:37:42 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:37:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:37:43 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:37:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:37:43 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
```



```
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008688000011000000', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 11:37:43 vitoconnect user.warn kernel: [578516.120691] device_driven_update.sh: waiting for network default route (#190480)
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:37:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:37:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:37:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:37:46 vitoconnect user.warn kernel: [578519.159623] device_driven_update.sh: waiting for network default route (#190481)
Feb 6 12:37:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:37:49 vitoconnect user.warn kernel: [578522.194370] device_driven_update.sh: waiting for network default route (#190482)
Feb 6 12:37:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:37:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
```

```
Feb 6 12:37:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:37:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 11:37:52 vitoconnect user.warn kernel: [578525.229790] device_driven_update.sh: waiting for network default route (#190483)
Feb 6 12:37:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:37:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123750', quality=0)
Feb 6 12:37:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:37:50 2021
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:37'50)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='e601', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [48.599998]
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:48.6
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:37:53 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
```

```
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:37:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008788000011000000', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:37:54 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:37:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:37:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:37:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:37:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:37:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:37:55 vitoconnect user.warn kernel: [578528.268186] device_driven_update.sh: waiting for network default route (#190484)
Feb 6 12:37:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:37:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```

```
Feb 6 12:37:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:37:58 vitoconnect user.warn kernel: [578531.303107] device_driven_update.sh: waiting for network default route (#190485)
Feb 6 12:37:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:37:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:38:01 vitoconnect user.warn kernel: [578534.339224] device_driven_update.sh: waiting for network default route (#190486)
Feb 6 12:38:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123801', quality=0)
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:38:01 2021
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:38:03 vitoconnect user.info coreapp-main: [coreapp-srvc] [info] (SRC-FW) TimeSync(kSaturday,12:38'01)
Feb 6 12:38:03 vitoconnect user.info coreapp-main: [coreapp-srvc] [info] (SRC-FW) UpdateSchedule(kSaturday,12:38'01)
Feb 6 12:38:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 11:38:04 vitoconnect user.debug kernel: [578536.400192] cfg80211: Verifying active interfaces after reg change
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='e601', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:38:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
```



```
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:38:04 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 11:38:05 vitocconnect user.warn kernel: [578537.375133] device_driven_update.sh: waiting for network default route (#190487)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008789000011000000', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:38:05 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:38:06 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:07 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:08 vitocconnect user.warn kernel: [578540.413465] device_driven_update.sh: waiting for network default route (#190488)
Feb 6 12:38:08 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
```

```
Feb 6 12:38:10 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:38:11 vitoconnect user.warn kernel: [578543.449055] device_driven_update.sh: waiting for network default route (#190489)
Feb 6 12:38:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:11 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:38:14 vitoconnect user.warn kernel: [578546.484710] device_driven_update.sh: waiting for network default route (#190490)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123812', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:38:12 2021
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:38:14 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:38'12)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='e301', quality=0)
Feb 6 12:38:14 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [48.299999]
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:48.3
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
```

```
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:38:15 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00888a000011000000', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:38:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
```

```
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:38:16 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:38:17 vitoconnect user.warn kernel: [578549.520716] device_driven_update.sh: waiting for network default route (#190491)
Feb 6 12:38:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:19 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:38:19 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:38:19 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:38:19 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:38:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:20 vitoconnect user.warn kernel: [578552.557398] device_driven_update.sh: waiting for network default route (#190492)
Feb 6 12:38:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:23 vitoconnect user.warn kernel: [578555.592687] device_driven_update.sh: waiting for network default route (#190493)
Feb 6 12:38:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123823', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:38:23 2021
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:38:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:38'23)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:38:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='e301', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:38:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
```





```
Feb 6 12:38:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:38:27 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:38:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:38:29 vitoconnect user.warn kernel: [578561.666110] device_driven_update.sh: waiting for network default route (#190495)
Feb 6 12:38:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:32 vitoconnect user.warn kernel: [578564.712495] device_driven_update.sh: waiting for network default route (#190496)
Feb 6 12:38:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:35 vitoconnect user.warn kernel: [578567.748279] device_driven_update.sh: waiting for network default route (#190497)
Feb 6 12:38:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4002', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123834', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:38:34 2021
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:38'34)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='e001', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [48.000000]
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
```

```
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingUnitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:48.0
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:38:36 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:38:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00898b000011000000', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
```

```
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:38:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:38:38 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 11:38:38 vitoconnect user.warn kernel: [578570.783378] device_driven_update.sh: waiting for network default route (#190498)
Feb 6 12:38:38 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:38:38 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:38:38 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:38:38 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:38:39 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:38:39 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:38:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:39 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:38:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:38:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:38:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-81,"ssid":"jutoWLAN",
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-81,"ssid":"jutoWLAN","ss
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:38:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:41 vitoconnect user.warn kernel: [578573.818840] device_driven_update.sh: waiting for network default route (#190499)
Feb 6 12:38:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:44 vitoconnect user.warn kernel: [578576.854580] device_driven_update.sh: waiting for network default route (#190500)
Feb 6 12:38:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:38:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
```



```
Feb 6 12:38:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3f02', quality=0)
Feb 6 12:38:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:38:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:38:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123844', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:38:44 2021
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:38:47 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:38:44)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='e001', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 11:38:47 vitoconnect user.warn kernel: [578579.890295] device_driven_update.sh: waiting for network default route (#190501)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:38:47 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:38:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
```

```
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='00898b000011000000', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:38:48 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:38:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:38:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:38:49 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:38:49 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:38:50 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:50 vitocconnect user.warn kernel: [578582.928280] device_driven_update.sh: waiting for network default route (#190502)
Feb 6 12:38:51 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:52 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:52 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:53 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:53 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:38:53 vitocconnect user.warn kernel: [578585.963706] device_driven_update.sh: waiting for network default route (#190503)
Feb 6 12:38:54 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:54 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:55 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:38:55 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:38:55 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:56 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:38:56 vitocconnect user.warn kernel: [578588.998679] device_driven_update.sh: waiting for network default route (#190504)
Feb 6 12:38:56 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3f02', quality=0)
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123855', quality=0)
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:38:55 2021
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:38:57 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:38'55)
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:38:57 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='db01', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [47.500000]
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:47.5
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:38:58 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:38:58 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
```

```
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:38:58 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='008a8c000011000000', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 11:38:59 vitoconnect user.warn kernel: [578592.034501] device_driven_update.sh: waiting for network default route (#190505)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:38:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:39:02 vitoconnect user.warn kernel: [578595.071740] device_driven_update.sh: waiting for network default route (#190506)
Feb 6 12:39:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:39'00)
Feb 6 12:39:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```



```
Feb 6 11:39:05 vitoconnect user.warn kernel: [578598.107373] device_driven_update.sh: waiting for network default route (#190507)
Feb 6 12:39:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3f02', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123906', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:39:06 2021
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:39:08 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:39'06)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:39:08 vitoconnect user.warn kernel: [578601.143208] device_driven_update.sh: waiting for network default route (#190508)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:39:08 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='d601', quality=0)
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [47.000000]
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:47.0
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:39:09 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:39:09 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
```



```
Feb 6 12:39:10 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:39:11 vitoconnect user.warn kernel: [578604.180812] device_driven_update.sh: waiting for network default route (#190509)
Feb 6 12:39:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:14 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:39:14 vitoconnect user.warn kernel: [578607.216163] device_driven_update.sh: waiting for network default route (#190510)
Feb 6 12:39:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:39:17 vitoconnect user.warn kernel: [578610.252163] device_driven_update.sh: waiting for network default route (#190511)
Feb 6 12:39:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3f02', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123917', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time: Sat Feb 6 12:39:17 2021
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:39:19 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:39'17)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='db01', quality=0)
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [47.500000]
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:39:19 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:39:19 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:47.5
Feb 6 12:39:19 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:19 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:19 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:39:19 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
```

```
Feb 6 12:39:19 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:39:19 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:39:19 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:39:19 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:39:19 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:39:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='3c7e7c0000211f5000', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:39:20 vitocconnect user.warn kernel: [578613.287859] device_driven_update.sh: waiting for network default route (#190512)
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:39:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
```



```
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='0000', quality=0)
Feb 6 12:39:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:23 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:39:23 vitoconnect user.warn kernel: [578616.325537] device_driven_update.sh: waiting for network default route (#190513)
Feb 6 12:39:24 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:25 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:39:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:39:27 vitoconnect user.warn kernel: [578619.373513] device_driven_update.sh: waiting for network default route (#190514)
Feb 6 12:39:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:27 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:39:27 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:39:27 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:39:27 vitoconnect daemon.info dnsmasq-dhcp[23181]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:39:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:39:30 vitoconnect user.warn kernel: [578622.408716] device_driven_update.sh: waiting for network default route (#190515)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3e02', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123928', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:39:28 2021
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:39:30 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:39'28)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:39:30 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
```

```
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='8002', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [64.000000]
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:64.0
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:39:30 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:39:30 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:39:31 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
```

```
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:39:31 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:39:31 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='3b677c0000211b6200', quality=0)
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:39:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:39:31 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='7601', quality=0)
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:39:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 11:39:33 vitoconnect user.warn kernel: [578625.447911] device_driven_update.sh: waiting for network default route (#190516)
Feb 6 12:39:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-81,"ssid":"jutoWLAN",
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-81,"ssid":"jutoWLAN","ss
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:39:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:39:36 vitoconnect user.warn kernel: [578628.503510] device_driven_update.sh: waiting for network default route (#190517)
Feb 6 12:39:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```

```
Feb 6 12:39:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:39:39 vitoconnect user.warn kernel: [578631.538609] device_driven_update.sh: waiting for network default route (#190518)
Feb 6 12:39:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:39:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:39:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3d02', quality=0)
Feb 6 12:39:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:39:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:39:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:39:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123938', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:39:38 2021
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:39'38)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:39:41 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:39:41 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='5402', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [59.599998]
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:59.6
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:39:41 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
```



```
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:41 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:39:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 11:39:42 vitoconnect user.warn kernel: [578634.573744] device_driven_update.sh: waiting for network default route (#190519)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='276e760000211b6200', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
```

```
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:39:42 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='4e01', quality=0)
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"aut
Feb 6 12:39:43 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:39:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:39:45 vitoconnect user.warn kernel: [578637.611849] device_driven_update.sh: waiting for network default route (#190520)
Feb 6 12:39:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:39:48 vitoconnect user.warn kernel: [578640.647817] device_driven_update.sh: waiting for network default route (#190521)
Feb 6 12:39:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:51 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:39:51 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 11:39:51 vitoconnect user.warn kernel: [578643.683823] device_driven_update.sh: waiting for network default route (#190522)
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:51 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3d02', quality=0)
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606123949', quality=0)
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:39:49 2021
```

```
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:39:51 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:39'49)
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:39:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='9402', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [66.000000]
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:66.0
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:39:52 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
```

```
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:39:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1e5e730000211b6200', quality=0)
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:39:53 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3c01', quality=0)
Feb 6 11:39:54 vitoconnect user.warn kernel: [578646.719462] device_driven_update.sh: waiting for network default route (#190523)
Feb 6 12:39:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
```



```
Feb 6 12:39:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:39:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:39:57 vitoconnect user.warn kernel: [578649.754784] device_driven_update.sh: waiting for network default route (#190524)
Feb 6 12:39:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:39:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:39:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:40:00 vitoconnect user.warn kernel: [578652.790376] device_driven_update.sh: waiting for network default route (#190525)
Feb 6 12:40:01 vitoconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:40:01 vitoconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:40:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:40:01 vitoconnect user.debug srt: [nc-select-router] [debug] No kNetworkStateWlanAccesspointConnected
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3f02', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124000', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [hvac:HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:40:00 2021
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:40:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:40'00)
Feb 6 12:40:02 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:40'00)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:40:02 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='9402', quality=0)
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
```

```
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 11:40:03 vitocconnect user.warn kernel: [578655.826920] device_driven_update.sh: waiting for network default route (#190526)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 6
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa.size = 2
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=1
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d60710000211b6200', quality=0)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] wpa_temp=2
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] encryption_type = wpa2
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers.size = 1
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] cipher = ccmp
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ciphers = ccmp
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kRouterListFormatJson
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_OUT : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN",
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Router-Count: 1
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] ASCII : [{"bssid":"c8:0e:14:ee:69:1d","cipher":4,"signal":-82,"ssid":"jutoWLAN","ss
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] JSON_IN : {"results":[{"bssid":"c8:0e:14:ee:69:1d","channel":"","encryption":{"auth
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:40:03 vitocconnect user.debug srt: [nc_handler] [debug] nc::Handler::Handler()
Feb 6 12:40:03 vitocconnect user.info srt: [nc-select-router] [info] networkcontrol/srt: software version is v1.2.4 (1.2.4-master)
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:40:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
```

```
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:40:03 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:40:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:40:05 vitoconnect user.debug srt: [nc-select-router] [debug] kNetworkStateWlanAccesspointConnected
Feb 6 12:40:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::SelectWlanRouter(const char*, const char*, const
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] SelectWlanRouter : ssid = *****, key = *****
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Connection attempt to specified network (ignoring AP scan results)
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SelectWlanRouterInternal()
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkModeInternal(nc::NetworkMode)
Feb 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 2
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = nor station nor AP mode active
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [broker] [debug] NetworkcontrolService> pub: kNetwork/kWifiMode: network: unknown state
Feb 6 12:40:06 vitoconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: unknown state
Feb 6 12:40:06 vitoconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '4'.
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 11:40:06 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for 192.168.1.1 on wlan.ap.
Feb 6 11:40:06 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.ap.IPv4 with address 192.168.1.1.
Feb 6 11:40:06 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.ap.IPv4 no longer relevant for mDNS.
Feb 6 11:40:06 vitoconnect user.warn kernel: [578658.865793] device_driven_update.sh: waiting for network default route (#190527)
Feb 6 11:40:06 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.ap.IPv6 no longer relevant for mDNS.
Feb 6 11:40:06 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.ap.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:40:06 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for fe80::e291:53ff:fea9:9812 on wlan.ap.
Feb 6 12:40:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateOffline
Feb 6 12:40:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Existing Configuration
Feb 6 12:40:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanStaCredentials()
Feb 6 12:40:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] SSID=***** / KEY=***** / TYPE=wpa2
Feb 6 12:40:07 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:40:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:08 vitoconnect user.notice root: /usr/bin/cm/sta/./common/destroy_wlan_interfaces.sh: No WLAN interfaces found.No interfaces destroyed.
Feb 6 12:40:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:40:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 12:40:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:40:08 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 11:40:08 vitoconnect user.info kernel: [578660.861245] IPv6: ADDRCONF(NETDEV_UP): wlan.sta: link is not ready
Feb 6 12:40:08 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:09 vitoconnect user.warn kernel: [578661.952568] device_driven_update.sh: waiting for network default route (#190528)
```

```
Feb 6 12:40:09 vitoconnect user.notice root: /tmp/udhpcp.scr: Flushing wlan.sta address.
Feb 6 12:40:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 11:40:10 vitoconnect user.info kernel: [578663.200845] wlan.sta: authenticate with c8:0e:14:ee:69:1d
Feb 6 11:40:10 vitoconnect user.info kernel: [578663.231095] wlan.sta: send auth to c8:0e:14:ee:69:1d (try 1/3)
Feb 6 12:40:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.589971] wlan.sta: authenticated
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.591335] wlan.sta: associate with c8:0e:14:ee:69:1d (try 1/3)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.693955] wlan.sta: associate with c8:0e:14:ee:69:1d (try 2/3)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.704563] wlan.sta: RX AssocResp from c8:0e:14:ee:69:1d (capab=0x1431 status=0 aid=4)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.704908] wlan.sta: associated
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.705181] IPv6: ADDRCONF(NETDEV_CHANGE): wlan.sta: link becomes ready
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739155] cfg80211: Updating information on frequency 2412 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739188] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739206] cfg80211: Updating information on frequency 2417 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739221] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739236] cfg80211: Updating information on frequency 2422 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739252] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739267] cfg80211: Updating information on frequency 2427 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739283] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739298] cfg80211: Updating information on frequency 2432 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739314] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739330] cfg80211: Updating information on frequency 2437 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739345] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739361] cfg80211: Updating information on frequency 2442 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739376] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739391] cfg80211: Updating information on frequency 2447 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739407] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739422] cfg80211: Updating information on frequency 2452 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739438] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739453] cfg80211: Updating information on frequency 2457 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739469] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739484] cfg80211: Updating information on frequency 2462 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739500] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739515] cfg80211: Updating information on frequency 2467 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739531] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739546] cfg80211: Updating information on frequency 2472 MHz with regulatory rule:
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739562] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:40:11 vitoconnect user.debug kernel: [578663.739575] cfg80211: Disabling freq 2484 MHz
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.739654] cfg80211: Regulatory domain changed to country: DE
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.739730] cfg80211: DFS Master region: ETSI
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.739754] cfg80211: (start_freq - end_freq @ bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.739872] cfg80211: (2400000 KHz - 2483500 KHz @ 40000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.743123] cfg80211: (5150000 KHz - 5250000 KHz @ 80000 KHz, 200000 KHz AUTO), (N/A, 2301 mBm), (N/A)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.743249] cfg80211: (5250000 KHz - 5350000 KHz @ 80000 KHz, 200000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.743341] cfg80211: (5470000 KHz - 5725000 KHz @ 160000 KHz), (N/A, 2698 mBm), (0 s)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.743429] cfg80211: (5725000 KHz - 5875000 KHz @ 80000 KHz), (N/A, 1397 mBm), (N/A)
Feb 6 11:40:11 vitoconnect user.info kernel: [578663.743517] cfg80211: (57000000 KHz - 66000000 KHz @ 2160000 KHz), (N/A, 4000 mBm), (N/A)
Feb 6 12:40:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:12 vitoconnect user.warn kernel: [578665.002795] device_driven_update.sh: waiting for network default route (#190529)
Feb 6 11:40:13 vitoconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.sta.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:40:13 vitoconnect daemon.info avahi-daemon[378]: New relevant interface wlan.sta.IPv6 for mDNS.
Feb 6 11:40:13 vitoconnect daemon.info avahi-daemon[378]: Registering new address record for fe80::e291:53ff:fea9:9812 on wlan.sta.*.
Feb 6 12:40:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:40:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3e02', quality=0)
Feb 6 12:40:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:40:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:40:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:40:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124011', quality=0)
```



```
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:40:11 2021
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:40:11)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='9902', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [66.500000]
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:66.5
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:40:13 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:40:13 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:40:14 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
```

```
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 11:40:14 vitoconnect user.debug kernel: [578666.760306] wlan.sta: Limiting TX power to 20 (20 - 0) dBm as advertised by c8:0e:14:ee:69:1d
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d5d6e0000211b6200', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:40:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:40:15 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 11:40:15 vitoconnect user.warn kernel: [578668.037407] device_driven_update.sh: waiting for network default route (#190530)
Feb 6 12:40:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:18 vitoconnect user.warn kernel: [578671.089799] device_driven_update.sh: waiting for network default route (#190531)
Feb 6 12:40:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Popen command result: OK
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 3
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = station mode (client is connecting)
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [broker] [debug] NetworkControlService> pub: kNetwork/kWifiMode: network: Station
Feb 6 12:40:20 vitoconnect user.err coreapp-main: [nc_network_ctrl] [error] WLAN start/stop script failed: OK
Feb 6 12:40:20 vitoconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: Station
Feb 6 12:40:20 vitoconnect user.info coreapp-main: [statecontrol] [info] state(wifi: AccessPoint), event(event: NetworkStationConnecting), transition(wifi: Static
```

```
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [statecontrol] [debug] publish new state: {heating unit: Connected, heating unit op mode: Regular, critical: f
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kNetwork/kRequestedWifiMode: network: Station
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kSystemStates/kState: ?
Feb 6 12:40:20 vitoconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '1'.
Feb 6 12:40:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:21 vitoconnect user.warn kernel: [578674.132090] device_driven_update.sh: waiting for network default route (#190532)
Feb 6 12:40:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3f02', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124022', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:40:22 2021
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:40'22)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='b702', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [69.500000]
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:40:24 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:69.5
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:40:24 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
```

```
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 11:40:24 vitocconnect user.warn kernel: [578677.166875] device_driven_update.sh: waiting for network default route (#190533)
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:40:24 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:40:25 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d58690000211b6200', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff')
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:40:25 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff')
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff')
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:40:26 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
```



```
Feb 6 12:40:26 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:40:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:27 vitoconnect user.warn kernel: [578680.203712] device_driven_update.sh: waiting for network default route (#190534)
Feb 6 12:40:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 11:40:30 vitoconnect user.warn kernel: [578683.237628] device_driven_update.sh: waiting for network default route (#190535)
Feb 6 12:40:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateWaitForNetwork
Feb 6 12:40:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:40:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:40:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateConfigCheck
Feb 6 12:40:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (***** ) not successfully done
Feb 6 12:40:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:33 vitoconnect user.warn kernel: [578686.271711] device_driven_update.sh: waiting for network default route (#190536)
Feb 6 12:40:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:40:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3e02', quality=0)
Feb 6 12:40:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:40:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:40:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:40:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124032', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:40:32 2021
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:40:35 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:40'32)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='b702', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
```

```
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:40:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d58660000211b6200', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 11:40:36 vitoconnect user.warn kernel: [578689.305717] device_driven_update.sh: waiting for network default route (#190537)
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:40:36 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:40:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:40:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:40:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:40:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:40:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:40:37 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:40:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:39 vitoconnect user.warn kernel: [578692.342776] device_driven_update.sh: waiting for network default route (#190538)
Feb 6 12:40:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:40:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:43 vitoconnect user.warn kernel: [578695.377674] device_driven_update.sh: waiting for network default route (#190539)
```

```
Feb 6 12:40:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (***** not successfully done
Feb 6 12:40:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3e02', quality=0)
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124043', quality=0)
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:40:43 2021
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:40:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:40'43)
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:40:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 11:40:46 vitoconnect user.warn kernel: [578698.412413] device_driven_update.sh: waiting for network default route (#190540)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='d002', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [72.000000]
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:72.0
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:40:46 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:40:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
```





```
Feb 6 12:40:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] IP-Link to Station (*****) not successfully done
Feb 6 12:40:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:40:55 vitoconnect user.warn kernel: [578707.519708] device_driven_update.sh: waiting for network default route (#190543)
Feb 6 12:40:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:40:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='3f02', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124054', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:40:54 2021
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:40:56 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:40'54)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:40:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='da02', quality=0)
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [73.000000]
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:73.0
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:40:57 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:40:57 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
```



```
Feb 6 12:41:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:41:01 vitoconnect user.warn kernel: [578713.591458] device_driven_update.sh: waiting for network default route (#190545)
Feb 6 12:41:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkModeInternal(nc::NetworkMode)
Feb 6 12:41:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetState(nc::NetworkCtrlState)
Feb 6 12:41:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetApConfig(char*, char*)
Feb 6 12:41:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 11:41:03 vitoconnect user.info kernel: [578715.944992] wlan.sta: deauthenticating from c8:0e:14:ee:69:1d by local choice (Reason: 3=DEAUTH_LEAVING)
Feb 6 12:41:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:41'00)
Feb 6 11:41:04 vitoconnect daemon.info avahi-daemon[378]: Interface wlan.sta.IPv6 no longer relevant for mDNS.
Feb 6 11:41:04 vitoconnect daemon.info avahi-daemon[378]: Leaving mDNS multicast group on interface wlan.sta.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:41:04 vitoconnect daemon.info avahi-daemon[378]: Withdrawing address record for fe80::e291:53ff:fea9:9812 on wlan.sta.
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.374614] cfg80211: All devices are disconnected, going to restore regulatory settings
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.374647] cfg80211: Restoring regulatory settings
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.374663] cfg80211: Kicking the queue
Feb 6 12:41:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:04 vitoconnect user.notice root: /usr/bin/cm/ap/./common/destroy_wlan_interfaces.sh: WLAN wlan.sta interface destroyed.
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452548] cfg80211: Updating information on frequency 2412 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452581] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452598] cfg80211: Updating information on frequency 2417 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452614] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452629] cfg80211: Updating information on frequency 2422 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452645] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452660] cfg80211: Updating information on frequency 2427 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452675] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452691] cfg80211: Updating information on frequency 2432 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452706] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452722] cfg80211: Updating information on frequency 2437 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452737] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452753] cfg80211: Updating information on frequency 2442 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452768] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452783] cfg80211: Updating information on frequency 2447 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452799] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452814] cfg80211: Updating information on frequency 2452 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452830] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452845] cfg80211: Updating information on frequency 2457 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452860] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452876] cfg80211: Updating information on frequency 2462 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452891] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.452907] cfg80211: Updating information on frequency 2467 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.455822] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.455846] cfg80211: Updating information on frequency 2472 MHz with regulatory rule:
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.455861] cfg80211: (2402000 KHz - 2482000 KHz @ 40000 KHz), (N/A, 2000 mBm)
Feb 6 11:41:04 vitoconnect user.debug kernel: [578716.455875] cfg80211: Disabling freq 2484 MHz
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.456564] cfg80211: World regulatory domain updated:
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.456657] cfg80211: DFS Master region: unset
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.456681] cfg80211: (start_freq - end_freq @ bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.456800] cfg80211: (2402000 KHz - 2472000 KHz @ 40000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.456891] cfg80211: (2457000 KHz - 2482000 KHz @ 20000 KHz, 92000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.457624] cfg80211: (2474000 KHz - 2494000 KHz @ 20000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.457739] cfg80211: (5170000 KHz - 5250000 KHz @ 80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.457833] cfg80211: (5250000 KHz - 5330000 KHz @ 80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.458410] cfg80211: (5490000 KHz - 5730000 KHz @ 160000 KHz), (N/A, 2000 mBm), (0 s)
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.458522] cfg80211: (5735000 KHz - 5835000 KHz @ 80000 KHz), (N/A, 2000 mBm), (N/A)
Feb 6 11:41:04 vitoconnect user.info kernel: [578716.458610] cfg80211: (57240000 KHz - 63720000 KHz @ 2160000 KHz), (N/A, 0 mBm), (N/A)
Feb 6 11:41:04 vitoconnect user.warn kernel: [578716.625830] device_driven_update.sh: waiting for network default route (#190546)
Feb 6 12:41:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:41:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
```

```
Feb 6 12:41:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetWlanInterfaceState(nc::WLANInterfaceType, bool)
Feb 6 12:41:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::PopenExec(const stringstream&, std::__cxx11::string&)
Feb 6 11:41:04 vitoconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.ap.IPv4 with address 192.168.1.1.
Feb 6 11:41:04 vitoconnect daemon.info avahi-daemon[378]: New relevant interface wlan.ap.IPv4 for mDNS.
Feb 6 11:41:04 vitoconnect daemon.info avahi-daemon[378]: Registering new address record for 192.168.1.1 on wlan.ap.IPv4.
Feb 6 11:41:04 vitoconnect user.info kernel: [578717.121640] IPv6: ADDRCONF(NETDEV_UP): wlan.ap: link is not ready
Feb 6 12:41:05 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:05 vitoconnect daemon.info dnsmasq[24868]: started, version 2.80 cachesize 150
Feb 6 12:41:05 vitoconnect daemon.info dnsmasq[24868]: compile time options: IPv6 GNU-getopt no-DBus no-i18n no-IDN DHCP DHCPv6 no-Lua TFTP no-contrack ipset aut
Feb 6 12:41:05 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCP, IP range 192.168.1.2 -- 192.168.1.254, lease time 12h
Feb 6 12:41:05 vitoconnect daemon.info dnsmasq[24868]: using local addresses only for domain lan
Feb 6 12:41:05 vitoconnect daemon.info dnsmasq[24868]: read /etc/hosts - 6 addresses
Feb 6 12:41:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:41:07 vitoconnect user.info kernel: [578719.440126] IPv6: ADDRCONF(NETDEV_CHANGE): wlan.ap: link becomes ready
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 11:41:07 vitoconnect user.warn kernel: [578719.687861] device_driven_update.sh: waiting for network default route (#190547)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124105', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:41:05 2021
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:41:07 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:41'05)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='e402', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [74.000000]
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:41:07 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:41:07 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:74.0
```



```
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:41:07 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:41:07 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:41:07 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 11:41:08 vitocconnect daemon.info avahi-daemon[378]: Joining mDNS multicast group on interface wlan.ap.IPv6 with address fe80::e291:53ff:fea9:9812.
Feb 6 11:41:08 vitocconnect daemon.info avahi-daemon[378]: New relevant interface wlan.ap.IPv6 for mDNS.
Feb 6 11:41:08 vitocconnect daemon.info avahi-daemon[378]: Registering new address record for fe80::e291:53ff:fea9:9812 on wlan.ap.*.
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d505f0000211b6200', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:41:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:41:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:41:09 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:41:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
```

```
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:41:09 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 11:41:10 vitoconnect user.warn kernel: [578722.730373] device_driven_update.sh: waiting for network default route (#190548)
Feb 6 12:41:10 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:41:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:11 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:41:13 vitoconnect user.warn kernel: [578725.771400] device_driven_update.sh: waiting for network default route (#190549)
Feb 6 12:41:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Popen command result: OK
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 5
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = access point mode
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [broker] [debug] NetworkcontrolService> pub: kNetwork/kWifiMode: network: AccessPoint
Feb 6 12:41:15 vitoconnect user.err coreapp-main: [nc_network_ctrl] [error] WLAN start/stop script failed: OK
Feb 6 12:41:15 vitoconnect user.info coreapp-main: [coreapp-statecontrol] [info] network: AccessPoint
Feb 6 12:41:15 vitoconnect user.info coreapp-main: [statecontrol] [info] state(wifi: StationConnecting), event(event: NetworkAccessPointMode), transition(wifi: Ac
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [statecontrol] [debug] publish new state: {heating unit: Connected, heating unit op mode: Regular, critical: f
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kNetwork/kRequestedWifiMode: network: AccessPoint
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [broker] [debug] StatecontrolService> pub: kSystemStates/kState: ?
Feb 6 12:41:15 vitoconnect user.info coreapp-main: [coreapp-cloudservice] [info] Received wifi mode '0'.
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::SetNetworkState(nc::NetworkState)
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 1, state = 6
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] kNetworkEventTypeState
Feb 6 12:41:15 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] wifi_mode_ = access point mode
Feb 6 11:41:16 vitoconnect user.warn kernel: [578728.809186] device_driven_update.sh: waiting for network default route (#190550)
Feb 6 12:41:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:41:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:41:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:41:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWlanNetworkInfo(const char*, nc::WlanNetworkInfo*, si
Feb 6 12:41:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:41:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 0
Feb 6 12:41:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kErrSsidNotFound
Feb 6 12:41:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] net_info[0].ssid: -
Feb 6 12:41:17 vitoconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='0812', value='4102', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='088E', value='2021020606124116', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [[:model]] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
```

```
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:41:16 2021
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:41'16)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='ee02', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [75.000000]
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:75.0
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:41:18 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:41:18 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:41:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] virtual nc::Result nc::NetworkCtrl::RequestWlanRouterList(nc::RouterListFormat)
Feb 6 12:41:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::RequestWlanRouterListInternal(nc::RouterListFormat, std:
Feb 6 12:41:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:41:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
```

```
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d4e5d0000211b6200', quality=0)
Feb 6 11:41:19 vitocconnect user.warn kernel: [578731.846173] device_driven_update.sh: waiting for network default route (#190551)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff')
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:41:19 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff')
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] Routers' scan ready.
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] nc::Result nc::NetworkCtrl::GetWLANNetworkInfo(const char*, nc::WLANNetworkInfo*, si
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results root type: 0
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] --- Scan results type: 0
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kErrSsidNotFound
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] net_info[0].ssid: -
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [coreapp-networkcontrolservice] [debug] Network-Event : type = 3, state = 6
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff')
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:41:20 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:41:21 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:21 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:22 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:22 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:41:22 vitocconnect user.warn kernel: [578734.887218] device_driven_update.sh: waiting for network default route (#190552)
Feb 6 12:41:23 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:23 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:24 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:24 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:25 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:41:25 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```



```
Feb 6 11:41:25 vitoconnect user.warn kernel: [578737.922662] device_driven_update.sh: waiting for network default route (#190553)
Feb 6 12:41:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:41:28 vitoconnect user.warn kernel: [578740.959185] device_driven_update.sh: waiting for network default route (#190554)
Feb 6 12:41:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:41:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4202', quality=0)
Feb 6 12:41:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:41:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:41:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:41:28 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124126', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:41:26 2021
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:41'26)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='f302', quality=0)
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [75.500000]
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:75.5
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:41:29 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:41:29 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
```



```
Feb 6 12:41:31 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 11:41:31 vitoconnect user.warn kernel: [578743.994709] device_driven_update.sh: waiting for network default route (#190555)
Feb 6 12:41:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:41:34 vitoconnect user.warn kernel: [578747.030106] device_driven_update.sh: waiting for network default route (#190556)
Feb 6 12:41:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:36 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:36 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:41:37 vitoconnect user.warn kernel: [578750.065140] device_driven_update.sh: waiting for network default route (#190557)
Feb 6 12:41:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124137', quality=0)
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:41:37 2021
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:41:39 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:41'37)
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:41:39 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0203', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [77.000000]
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
```

```
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:77.0
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:41:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 11:41:40 vitoconnect user.warn kernel: [578753.101296] device_driven_update.sh: waiting for network default route (#190558)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:41:40 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d4b590000211b6200', quality=0)
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
```



```
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:41:41 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:41:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:42 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCPDISCOVER(wlan.ap) 00:ec:0a:dd:ef:3d
Feb 6 12:41:42 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCPPOFFER(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:41:42 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCPREQUEST(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d
Feb 6 12:41:42 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCPACK(wlan.ap) 192.168.1.207 00:ec:0a:dd:ef:3d MI6-C4K3
Feb 6 12:41:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:41:43 vitoconnect user.warn kernel: [578756.139204] device_driven_update.sh: waiting for network default route (#190559)
Feb 6 12:41:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:41:46 vitoconnect user.warn kernel: [578759.174232] device_driven_update.sh: waiting for network default route (#190560)
Feb 6 12:41:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:47 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:41:49 vitoconnect user.warn kernel: [578762.209551] device_driven_update.sh: waiting for network default route (#190561)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4502', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124148', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:41:48 2021
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:41:50 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:41'48)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:41:50 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
```

```
Feb 6 12:41:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:41:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:41:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:41:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:41:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:41:50 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:41:50 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='0c03', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [78.000000]
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:78.0
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:41:51 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:41:51 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
```

```
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d49580000211b6200', quality=0)
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:41:51 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:41:52 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 11:41:52 vitoconnect user.warn kernel: [578765.244703] device_driven_update.sh: waiting for network default route (#190562)
Feb 6 12:41:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:41:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:41:55 vitoconnect user.warn kernel: [578768.280423] device_driven_update.sh: waiting for network default route (#190563)
Feb 6 12:41:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:41:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:58 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:41:58 vitoconnect user.warn kernel: [578771.315670] device_driven_update.sh: waiting for network default route (#190564)
Feb 6 12:41:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:41:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4602', quality=0)
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124159', quality=0)
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:42:01 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
```

```
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:41:59 2021
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:41'59)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1103', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [78.500000]
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:78.5
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:42:01 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:42:01 vitocconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 11:42:02 vitocconnect user.warn kernel: [578774.351080] device_driven_update.sh: waiting for network default route (#190565)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
```



```
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d48560000211b6200', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:42:02 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:42:03 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:42:03 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule (kSaturday,12:42'00)
Feb 6 12:42:04 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:42:04 vitocconnect user.debug kernel: [578776.527936] cfg80211: Verifying active interfaces after reg change
Feb 6 12:42:04 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:42:05 vitocconnect user.warn kernel: [578777.389509] device_driven_update.sh: waiting for network default route (#190566)
Feb 6 12:42:05 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:05 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:06 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:06 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:07 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:42:08 vitocconnect user.warn kernel: [578780.424829] device_driven_update.sh: waiting for network default route (#190567)
Feb 6 12:42:08 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:09 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:42:10 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:42:10 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:42:11 vitoconnect user.warn kernel: [578783.469568] device_driven_update.sh: waiting for network default route (#190568)
Feb 6 12:42:11 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4802', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124210', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:42:10 2021
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:42'10)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1603', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [79.000000]
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:79.0
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:42:12 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:42:12 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d47550000211b6200', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100fffffffffffff')
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200fffffffffffff')
Feb 6 12:42:13 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300fffffffffffff')
Feb 6 11:42:14 vitoconnect user.warn kernel: [578786.506085] device_driven_update.sh: waiting for network default route (#190569)
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:42:14 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:42:15 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:15 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:16 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```

```
Feb 6 12:42:16 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:42:17 vitoconnect user.warn kernel: [578789.545154] device_driven_update.sh: waiting for network default route (#190570)
Feb 6 12:42:17 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:17 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:18 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:18 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:19 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:19 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:42:20 vitoconnect user.warn kernel: [578792.580629] device_driven_update.sh: waiting for network default route (#190571)
Feb 6 12:42:20 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:20 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:21 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:21 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:22 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:42:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4902', quality=0)
Feb 6 12:42:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:42:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:42:22 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:42:22 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124220', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:42:20 2021
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:42'20)
Feb 6 11:42:23 vitoconnect user.warn kernel: [578795.616148] device_driven_update.sh: waiting for network default route (#190572)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='1b03', quality=0)
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [79.500000]
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:42:23 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:79.5
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:42:23 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
```





```
Feb 6 12:42:24 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:42:24 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:42:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:42:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:42:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:42:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:42:25 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:42:25 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:42:25 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:42:26 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:26 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:42:26 vitoconnect user.warn kernel: [578798.654582] device_driven_update.sh: waiting for network default route (#190573)
Feb 6 12:42:27 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:27 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:28 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:28 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:42:29 vitoconnect user.warn kernel: [578801.690134] device_driven_update.sh: waiting for network default route (#190574)
Feb 6 12:42:29 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:29 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:30 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:30 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:31 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:31 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:42:32 vitoconnect user.warn kernel: [578804.727084] device_driven_update.sh: waiting for network default route (#190575)
Feb 6 12:42:32 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:32 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:33 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCPREQUEST(wlan.ap) 192.168.1.241 94:b8:6d:24:98:20
Feb 6 12:42:33 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCPACK(wlan.ap) 192.168.1.241 94:b8:6d:24:98:20 C00K134
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4b02', quality=0)
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124231', quality=0)
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:42:31 2021
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:42:33 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:42:31)
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:42:33 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2003', quality=0)
```

```
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [80.000000]
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:80.0
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:42:34 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:42:34 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
```

```
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d45530000211b6200', quality=0)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 11:42:35 vitoconnect user.warn kernel: [578807.762461] device_driven_update.sh: waiting for network default route (#190576)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000000000000000', quality=0)
Feb 6 12:42:35 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCPREQUEST(wlan.ap) 192.168.1.241 94:b8:6d:24:98:20
Feb 6 12:42:35 vitoconnect daemon.info dnsmasq-dhcp[24868]: DHCPACK(wlan.ap) 192.168.1.241 94:b8:6d:24:98:20 C00K134
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:42:35 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:37 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:37 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:38 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:38 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:42:38 vitoconnect user.warn kernel: [578810.800139] device_driven_update.sh: waiting for network default route (#190577)
Feb 6 12:42:39 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:39 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:40 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:40 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:40 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:42:41 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:41 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:42:41 vitoconnect user.warn kernel: [578813.841266] device_driven_update.sh: waiting for network default route (#190578)
Feb 6 12:42:42 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:42 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:43 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:43 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4c02', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 11:42:44 vitoconnect user.warn kernel: [578816.880435] device_driven_update.sh: waiting for network default route (#190579)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124242', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:42:42 2021
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:42:44 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:42:42)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
```



```
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:42:44 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2a03', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kWhCurrentFlowTemperature[0]
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [81.000000]
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:81.0
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:42:45 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
```

```
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d44520000211b6200', quality=0)
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:42:45 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:42:46 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:42:47 vitoconnect user.warn kernel: [578819.917629] device_driven_update.sh: waiting for network default route (#190580)
Feb 6 12:42:47 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:48 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:48 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:49 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:49 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:50 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:42:50 vitoconnect user.warn kernel: [578822.963121] device_driven_update.sh: waiting for network default route (#190581)
Feb 6 12:42:51 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:51 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:52 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:52 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:53 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:53 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:42:53 vitoconnect user.warn kernel: [578825.998183] device_driven_update.sh: waiting for network default route (#190582)
Feb 6 12:42:54 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:54 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4d02', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
```

```
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124253', quality=0)
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:42:53 2021
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:42:53)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2f03', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kHcCurrentFlowTemperature[0]
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/0/kStatus: [81.500000]
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kConfiguration: [nan, nan]
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kSupplyChannels/3/kStatus: [nan]
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 0 5
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 0 active: true type: 0 min_flow:20.0 max_flow:74.0 flow:81.5
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 254 active: false type: 3 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] supply channel: 255 active: false type: 0 min_flow:nan max_flow:nan flow:nan
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(0)::SetConfiguration=kSuccess
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 0: kUndefined
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(254)::SetConfiguration=kSuccess
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 254: kMixedHydraulic
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) SupplyChannel(255)::SetConfiguration=kSuccess
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel 255: kUndefined
Feb 6 12:42:55 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) Supply channel update=kSuccess
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 3
Feb 6 12:42:55 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] TrackSupplyChannels: 3 5
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
```

```
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 11:42:56 vitoconnect user.warn kernel: [578829.034230] device_driven_update.sh: waiting for network default route (#190583)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='1d43510000211b6200', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:42:56 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff', quality=0)
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff', quality=0)
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff', quality=0)
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 12:42:57 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:58 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:42:59 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:42:59 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:42:59 vitoconnect user.warn kernel: [578832.071379] device_driven_update.sh: waiting for network default route (#190584)
Feb 6 12:43:00 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:00 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:43:01 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:01 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:43:02 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
```



```
Feb 6 11:43:02 vitoconnect user.warn kernel: [578835.114107] device_driven_update.sh: waiting for network default route (#190585)
Feb 6 12:43:02 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:43:03 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:03 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) UpdateSchedule(kSaturday,12:43'00)
Feb 6 12:43:03 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:43:04 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:04 vitoconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:43:05 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 11:43:05 vitoconnect user.warn kernel: [578838.149453] device_driven_update.sh: waiting for network default route (#190586)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/0812
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='0812', value='4e02', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/083A
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='083A', value='00', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/088E
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='088E', value='2021020606124304', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [hvac::HeatingUnit] [debug] HuPropertyUpdatedCallback kTime[0]
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [HeatingUnitService] [debug] Updated boiler time to: Sat Feb 6 12:43:04 2021
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [broker] [debug] HeatingunitService> pub: kHeatingUnit/kBoilerTime: ?
Feb 6 12:43:06 vitoconnect user.info coreapp-main: [coreapp-srcservice] [info] (SRC-FW) TimeSync(kSaturday,12:43'04)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2306
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2306', value='15', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2307
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2307', value='12', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2323
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2323', value='02', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2544
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2544', value='4e02', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27B2
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27B2', value='08', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C5
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C5', value='14', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27C6
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27C6', value='4a', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D3
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D3', value='0f', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/27D4
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='27D4', value='03', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/2900
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='2900', value='2f03', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3306
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3306', value='14', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3307
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3307', value='03', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3323
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3323', value='00', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3544
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3544', value='0000', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37B2
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C5
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37C6
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D3
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/37D4
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37B2', value='08', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C5', value='14', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37C6', value='4a', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D3', value='0e', quality=0)
Feb 6 12:43:06 vitoconnect user.debug coreapp-main: [::model] [debug] Setting data (id='37D4', value='00', quality=0)
Feb 6 12:43:07 vitoconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/3900
```

```
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='3900', value='0000', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4306
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4306', value='14', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4307
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4307', value='03', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4323
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4323', value='00', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4544
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4544', value='0000', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47B2
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47B2', value='08', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C5
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C5', value='14', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47C6
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47C6', value='4a', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D3
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D3', value='0e', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/47D4
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='47D4', value='00', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/4900
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='4900', value='0000', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/5527
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='5527', value='feff', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/55D3
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='55D3', value='ld4250000211b6200', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/6300
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='6300', value='3c', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/65F5
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='65F5', value='00', quality=0)
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7360
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7360', value='000b4800650069007a006b00720065006900730020003100ffffffffffff')
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/738A
Feb 6 12:43:07 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='738A', value='000b4800650069007a006b00720065006900730020003200ffffffffffff')
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/73B4
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='73B4', value='000b4800650069007a006b00720065006900730020003300ffffffffffff')
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7561
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7561', value='00000000000000000000', quality=0)
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/7700
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='7700', value='02', quality=0)
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/8851
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='8851', value='00', quality=0)
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [optolink] [debug] Read success: ol_client_lls/A305
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [::model] [debug] Setting data (id='A305', value='3a01', quality=0)
Feb 6 11:43:08 vitocconnect user.warn kernel: [578841.184747] device_driven_update.sh: waiting for network default route (#190587)
Feb 6 12:43:08 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:09 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:43:10 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:10 vitocconnect user.info coreapp-main: [coreapp-srcservice] [info] UpdateHeatDemandControlConfiguration
Feb 6 12:43:10 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 12:43:11 vitocconnect user.debug coreapp-main: [nc_network_ctrl] [debug] kNetworkCtrlStateAccessPointActive
Feb 6 12:43:11 vitocconnect user.debug coreapp-main: [optolink] [debug] Ping success
Feb 6 11:43:11 vitocconnect user.warn kernel: [578844.220488] device_driven_update.sh: waiting for network default route (#190588)
```

[Status](#)  
[Select Router](#)  
[View logfile](#)

[Open Source Components Licenses](#)